



SPAS AND SAUNAS



690	Our range of spas
692	Coding structure for private spas with cabinet
692	Colour chart for spas
694	Optional equipment
696	Standard equipment
700	Spas - Ocean Dreams
706	Spas - Essential
710	Spas - Origins
713	Spas - Swimspas
718	Spas - In-ground

721	Compact filtration housing for spas
722	Spa accessories
727	Spa white goods & plumbing
734	Air Blowers
737	Saunas
743	Saunas accessories

Our range of spas



Ocean Dreams range

- + Premium spa range with unlimited benefits, intended for the most demanding users.
- + Ergonomic spas, with numerous features and configuration settings.

2
YEAR
WARRANTY

Components

10
YEAR
WARRANTY

Acrylic

15
YEAR
WARRANTY

Structure

Swimspas range

- + Swimspas are small residential pools.
- + Versatile, powerful and compact. A health and wellness centre available all year round.

2
YEAR
WARRANTY

Components

10
YEAR
WARRANTY

Acrylic

15
YEAR
WARRANTY

Structure



Essential range

- + Seeking to strike a balance between performance and features, offering an optimal massage experience.
- + Functional spas able to customize the cabinet and acrylic.

2
YEAR
WARRANTY

Components

10
YEAR
WARRANTY

Acrylic

15
YEAR
WARRANTY

Structure

Origins range

- + An ideal range for those seeking a basic solution.
- + Basic spas with all the AstralPool quality in a variety of formats.

2
YEAR
WARRANTY

Components

3
YEAR
WARRANTY

Acrylic

5
YEAR
WARRANTY

Structure

Our range of spas

Ocean Dreams



Unlimited benefits

+ Smart Hot Tubs



+ Energy awareness:



- + Superior massage experience
- + Ultraviolet disinfection system
- + Wide range of accessories: Touch Panel, Chromotherapy, Aromatherapy and Bluetooth Audio

Acrylic colour



N° 44 White



N° 59 Sterling



N° 65 Alba



N° 64 Pearl Shadow



N° 27 Silver



Graphite



Thunder



Creek



Butterfly

Pure and New'Art models



N° 44 White



Solid Surface

Essential



Balance between performance and features

- + Functionality in the product
- + Insulation system:



- + Optimal massage experience
- + Ultraviolet disinfection system
- + Accessories: Bluetooth Audio



N° 44 White



N° 59 Sterling



Infinity



N° 65 Alba



N° 64 Pearl Shadow



N° 27 Silver

Balance E and Equilibre E models



N° 44 White



N° 59 Sterling



Infinity

Origins



The desired simplicity

- + The best cost-price ratio
- + Insulating layer as a standard:



- + Ideal massage experience
- + Ultraviolet disinfection system
- + Accessories: Bluetooth Audio



N° 44 White



N° 59 Sterling



Ash

Coding structure for private spas with cabinet

The coding structure for the wood cabinet spas is made up of 10 digits. The first 5 digits refer to the Spa model and the following ones indicate the coating type, the colour of the accessories, the equipment options and the colour of the acrylic.








This coding system will be structured in the following way:

XXXXX	XX	X	XX	CL	XX
Spa Model	Coating type	Accessories	Equipment	Variation	Colour chart

Position 1 to 5: Standard code 5 figure code

Position 6 to 7: Coating type definition

A1	Coastal Grey portable spa with cabinet
A4	Portable spa without cabinet
SE	In-ground spa, compact kit version
AB	Urban Grey cabinet
AK	Graphite cabinet
AR	Thunder cabinet
AT	Creek cabinet
AC	Infinity cabinet old timber
SS	Solid Surface cabinet
AW	Butterfly cabinet
BA	Ash cabinet

Graphite	Coastal Grey	Thunder	Creek	Butterfly	Urban Grey	Infinity	Solid Surface	Ash
								

While stocks last





Position 8: Accessories colour definition

3	Stainless steel
---	-----------------

Positions 9 to 10: Options configuration definition


00	Std + Cover
05	Std + Cover + EcoSpa
20	Std + Cover + LumiPlus
21	Std + Cover + EcoSpa + LumiPlus
23	Std + Cover + LumiPlus + Audio
32	Std + Cover + LumiPlus + Stainless steel bar on cabinet
27	Std + Cover + LumiPlus + EcoSpa + Stainless steel bar on cabinet
34	Std + Cover + LumiPlus + EcoSpa + Audio
35	Std + Cover + LumiPlus + EcoSpa + Audio + Stainless steel bar on cabinet
56	Std + Cover + LumiPlus + EcoSpa + Audio + Stainless steel bar on cabinet + Wi-Fi Touch Panel
55	Std + Cover + LumiPlus + EcoSpa + Nordic Insulation System + Audio + Stainless steel bar on cabinet + Wi-Fi Touch Panel
59	Std + Cover + LumiPlus + EcoSpa + Nordic Insulation System + Stainless steel bar on cabinet + Wi-Fi Touch Panel
60	Std + Cover + LumiPlus + EcoSpa + Stainless steel bar on cabinet + Wi-Fi Touch Panel

Colour chart for spas

				
N° 44 WHITE	N° 59 STERLING	N° 65 ALBA	N° 64 PEARL SHADOW	N° 27 SILVER

While stocks last





NORDIC INSULATION SYSTEM



OPTIONAL EQUIPMENT

EcoSpa thermal insulation

EcoSpa is one of the best thermal insulation systems currently available in the market. This comprehensive system manages to minimize heat loss by convection and conduction, and to use the heat generated by the heater and pumps found in the spa. The walls have an exclusive 30 mm thick layer of polyurethane foam insulation. A strong ABS substructure of insulating plastic at the bottom of the spa ensures total water tightness. Finally, an isothermal cover of between 100 and 130 cm thick gives extra insulation.

All of these features reduce heat loss to a minimum and maximize the recovery of the heat generated by the spa's components, thus reducing energy consumption by up to 67%. With EcoSpa, consumption to maintain the water at 38° with a room temperature of 20° is 6.48 kW/h, while without this system it is 19.52 kW/h.

EcoSpa option

Nordic Insulation System


NORDIC INSULATION SYSTEM is designed for cold environments and can enhance your spa's energy efficiency.

The Nordic Insulation System comprises a 10mm insulating material composed of five layers. This insulation layer is positioned in the sides and curves of the spa to create an insulating air chamber inside. The five layers are made from:


- Aluminium.
- RC9 bubble + low-density polyethylene (double layer).
- FONPEX non-crosslinked polyethylene foam (20 kg/m³).
- RC9 bubble + low-density polyethylene (double layer).
- Aluminium.

This system is an improvement over the EcoSpa class as it minimizes temperature leak zones and optimizes spa energy performance in extreme temperature situations.


Difference between the EcoSpa and Nordic Insulation System in thermal imaging:



Spa with EcoSpa



Spa with Nordic Insulation System



Wi-Fi Touch panel



The Balboa Wi-Fi control panel is an app for your smart device (Android™ or iPhone®) which lets you access your spa over the internet from anywhere, home or away. All you need is a 3G, 4G or Wi-Fi connection to access and control your spa over your mobile phone or tablet.

By using the Wi-Fi control panel, you can make sure that your spa is ready for use every time you want to take a dip. Instead of having to go outside and fiddle around with the buttons on the control panel, this app will enable you to change your spa's settings from your mobile phone or tablet.

The app has a full control interface so you can set the water temperature, run the massage pumps and even control the filtration cycle.

OPTIONAL EQUIPMENT

LumiPlus + Bluetooth Audio System, only available for fully skirted portable spas



Natural treatments are one of the main sources of health provided by a spa. Chromotherapy and music therapy are the perfect accompaniment to any hot tub.

Chromotherapy is the natural technique based on the use of colours to help your mind and body find their natural physical, mental and emotional balance. By choosing the LumiPlus option, 5 LED spotlights are added to your spa so that you can enjoy a spectacular ambient lighting system. Thanks to the 5 LED spotlights, you can choose the colours that match your mood at any given time.



The Bluetooth Audio System enables music to be played from any mobile phone, MP4 Player or audio equipment via a simple Bluetooth connection, without the need for any cables and with coverage of up to 7 metres. Now you can truly make your spa a centre of relaxation, health and beauty.

LumiPlus + Bluetooth Audio System option



Blue Connect Plus

Enjoy your Hot Tub with peace of mind

Blue Connect analyzes the quality of the water and shows you the needed chemicals for the maintenance of your Hot Tub.

Advanced technology connected to your smartphone

Blue Connect Plus is a smart hot tub water analyser that controls the quality of your water and informs you about the number of products available for your hot tub. All from your smartphone.

Sit back and relax. Thanks to Blue Connect, your Hot Tub is at your fingertips

Monitor your Hot Tub wherever you are with the connected Hot Tub water analyzer and the free Blue Connect app.

For more info check page 367.

STANDARD EQUIPMENT

Balboa Electronics, standard in all spas



BALBOA
WATER GROUP

AstralPool only uses new generation control systems made by BALBOA, a leading supplier of electronic controls for hydromassage tubs and spas.

With the continual improvement made to its designs and its innovative solutions to increase the quality and reliability of its systems, the Balboa EL/GL and VS/GS family of control systems has been designed using patented M7 technology for temperature and flow sensors, and its new universal control system increases the flexibility of its functions and reduces installation and configuration problems.

These characteristics make the controls even more reliable, easier to install and easier to use.



Ultraviolet disinfection system

Spas equipped with the ultraviolet system are disinfected using UV technology. Thanks to a UV lamp, all bacteria in the water are destroyed. The advantages of the ultraviolet system can be summarized as follows:

- It ensures water remains fresh, clean and clear.
- It is an efficient and safe way of disinfecting the water.
- Its UV-C light breaks down combined chlorine.
- It protects the water from germs.
- It keeps the formation of mould, bacteria and algae under control.
- It can reduce the amount of chlorine and other chemical products used by up to 80%.
- It prevents the smell of chlorine and irritation to the skin and eyes (bloodshot eyes).
- It is more environmentally friendly than traditional methods.

Using this system, all bacteria, mould and algae will automatically be removed from your spa, and it will be protected from germs without the need for any kind of maintenance.

STANDARD EQUIPMENT

Aromatherapy

only available for spas with a blower



Aromatherapy offers the therapeutic properties of pure aromas for a natural treatment and makes a significant contribution in helping to restore your natural state of balance and harmony.

Nobody is indifferent to smells. They bring to mind emotions, memories and ideas. Increase the relaxing effect of your tub by adding a fragrance!

Model comparison



MODELS	Ocean Dreams range						Essential range				Origins range		
	Pure	NewArt	Evolution	Atlantida 70	Pacific 70	Ocean 70	Select E	Emotion E	Balance E	Equilibre E	Baia	Malea	Alexandria
Code	68450	68449	32474	62399	69130	69863	76894	69122	74134	73076	76173	76306	76307
General Information													
Size cm (± 2 cm)	220 x 220 x 78	220 x 220 x 78	233 x 233 x 91	216 x 216 x 90	216 x 216 x 90	216 x 167 x 74	216 x 216 x 90	216 x 216 x 90	198 x 198 x 74	216 x 167 x 74	216 x 216 x 90	198 x 198 x 74	216 x 167 x 74
Places (Seats/Loungers)	4 (4 / -)	5 (3 / 2)	5 (3 / 2)	5 (3 / 2)	6 (5 / 1)	3 (1 / 2)	6 (5 / 1)	5 (3 / 2)	5 (3 / 2)	3 (1 / 2)	5 (3 / 2)	5 (3 / 2)	3 (1 / 2)
Graphite Cabinet	-	-	Optional	Optional	Optional	Optional	-	-	-	-	-	-	-
Coastal Grey Cabinet	-	-	-	-	-	-	-	-	-	-	-	-	-
Thunder Cabinet	-	-	Optional	Optional	Optional	Optional	-	-	-	-	-	-	-
Creek Cabinet	-	-	Optional	Optional	Optional	Optional	-	-	-	-	-	-	-
Butterfly Cabinet	-	-	Optional	Optional	Optional	Optional	-	-	-	-	-	-	-
Infinity Cabinet	-	-	-	-	-	-	Optional	Optional	Optional	Optional	-	-	-
Solid surface Cabinet	•	•	-	-	-	-	-	-	-	-	-	-	-
Ash Cabinet	-	-	-	-	-	-	-	-	-	-	•	•	•
Without Cabinet	-	-	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	-	-	-
Options													
Nordic Insulation System	Optional	Optional	Optional	Optional	Optional	Optional	-	-	-	-	-	-	-
EcoSpa thermal insulation	•	•	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	-	-	-
Green Layer Insulation	-	-	-	-	-	-	-	-	-	-	•	•	•
Bluetooth Audio system	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	-	Optional	Optional	Optional
LumiPlus LED lighting system	•	•	•	•	•	•	Optional	Optional	-	-	-	-	-
Stainless steel jets	•	•	•	•	•	•	•	•	•	•	•	•	•
Stainless steel bar	-	-	•	•	•	•	-	-	-	-	-	-	-
Wi-Fi Touch Panel	Optional	Optional	Optional	Optional	Optional	Optional	-	-	-	-	-	-	-
Blue Connect Plus	-	-	Optional	Optional	Optional	Optional	-	-	-	-	-	-	-
Configurations													
No of jets	27	28	56	52	51	42	51	32	31	26	62	31	26
No. of blower nozzles	12	14	16	14	10	-	-	12	12	-	-	12	-
Waterfalls	-	-	-	2	2	-	1	-	-	-	-	-	-
Water Fountain	-	-	2	-	-	-	-	-	-	-	-	-	-
Headrests	2	3	3	3	3	3	3	3	3	3	3	3	3
Digital control panel	1	1	2	1	1	1	1	1	1	1	1	1	1
Ultraviolet	•	•	•	•	•	•	•	•	•	•	•	•	•
Aromatherapy	•	-	•	•	•	-	-	-	-	-	-	-	-
Chromotherapy	5 LEDs + light Tab	5 LEDs + light Tab	5 LEDs + light Tab	5 LEDs + light Tab	5 LEDs + light Tab	5 LEDs + light Tab	1 LED	1 LED	1 LED	1 LED	1 LED	1 LED	1 LED
Structure and Cover													
High-resistance metal structure	•	•	•	•	•	•	•	•	•	•	•	•	•
Insulating ABS base	•	•	•	•	•	•	•	•	•	•	•	•	•
Isothermal cover	•	•	•	•	•	•	•	•	•	•	•	•	•
Technical equipment													
Filter pump	200 W	200 W	200 W	200 W	200 W	200 W	200 W	200 W	-	-	200W	-	-
Massage pump	1.8 kW / 2.5 HP	1.8 kW / 2.5 HP	2 x 2.2 kW / 3 HP	2 x 1.8 kW / 2.5 HP	2 x 1.8 kW / 2.5 HP	2.2 kW / 3 HP	2 x 1.8 kW / 2.5 HP	1 x 1.8 kW / 2.5 HP	1.8 kW / 2.5 HP, 2 Vel.	1.8 kW / 2.5 HP, 2 Vel.	2 x 1.8 kW / 2.5 HP	1.8 kW / 2.5 HP	1.8 kW / 2.5 HP
Blower pump	1150 W	1150 W	400 W	400 W	400 W	-	-	400 W	400 W	-	-	400 W	-
Electric heater	3 kW	3 kW	3 kW	3 kW	3 kW	3 kW	3 kW	3 kW	3 kW	3 kW	3 kW	2 kW	2 kW
Power consumption and capacity													
Consumption in low amps (W)	3400 W	3400 W	5200 W	4400 W	4400 W	3400 W	3780 W	3400 W	3400 W	3400 W	3800 W	2650 W	2400 W
Required power (A) at 230 V	14.6 A	14.6 A	22.4 A	19.1 A	19.1 A	14.6 A	16.8 A	14.6 A	14.6 A	14.6 A	16.5 A	11.5 A	10.4 A
230 V or 400 V III connection	•	•	•	•	•	•	•	•	•	•	•	•	•
Water capacity (litres)	975 l	975 l	1.610 l	1.138 l	1.138 l	780 l	930 l	930 l	935 l	780 l	980 l	935 l	780 l
Spa weight (Empty / Full)	450 kg / 1425 kg	450 kg / 1425 kg	378 kg / 1988 kg	327 kg / 1227 kg	327 kg / 1465 kg	229 kg / 1009 kg	327 kg / 1257 kg	327 kg / 1257 kg	246 kg / 1181 kg	229 kg / 1009 kg	330 kg / 1310 kg	253 kg / 1181 kg	229 kg / 1009 kg

Model comparison

								
	Swimspa range					In-ground range		
MODELS	Swimspa Dual	Swimspa Mediterraena	Swimspa Creta	Swimspa Compact	Swimspa Lagoon	Evolution 70	Thalassa E	Ronda 30
Code	74238	64414	67203	69128	74237	49722	78678	49859
General Information								
Size cm (± 2 cm)	600 x 230 x 138	500 x 230 x 138	400 x 230 x 138	400 x 230 x 138	400 x 230 x 138	233 x 233 x 90	216 x 216 x 90	Ø 205
Places (Seats/Loungers)	1 Vertical + 4 (2 / 2)	4 (2 / 2)	4 (2 / 1 / 1)	1 Vertical	1 Vertical	5 (3 / 2)	6 (5 / 1)	5 (5 / 0)
Graphite Cabinet	-	-	-	-	-	-	-	-
Coastal Grey Cabinet	Optional	Optional	Optional	Optional	Optional	-	-	-
Thunder Cabinet	-	-	-	-	-	-	-	-
Creek Cabinet	-	-	-	-	-	-	-	-
Butterfly Cabinet	-	-	-	-	-	-	-	-
Urban Grey Cabinet	Optional	Optional	Optional	Optional	-	-	-	-
Solid surface Cabinet	-	-	-	-	-	-	-	-
Without Cabinet	Optional	Optional	Optional	Optional	Optional	•	•	•
Options								
EcoSpa thermal insulation	Optional	Optional	Optional	Optional	Optional	-	-	-
Nordic Insulation System	-	-	-	-	-	-	-	-
Bluetooth Audio system	Optional	Optional	Optional	Optional	-	-	-	-
LumiPlus LED lighting system	•	•	•	•	•	-	-	-
Stainless steel jets	•	•	•	•	•	•	•	•
Stainless steel bar	•	•	•	•	-	-	-	-
Wi-Fi Spa Control	Optional	Optional	Optional	Optional	-	-	-	-
Blue Connect Plus	Optional	Optional	Optional	Optional	Optional	-	-	-
Rowing Kit	Optional. Code: 74496	-	Optional	-	-	-	-	-
Configurations								
No of jets	16 + 5 Turbo Jets + 30 Jets	27 + 5 Turbo Jets	54 + 4 Turbo Jets	16+5 Turbo Jets	12	56	28	20
No. of blower nozzles	-	-	-	-	-	16	16	10
Waterfalls	-	1	-	-	-	-	-	10
Headrests	3	2	3	-	-	3	3	-
Touch Panel	2	1 +aux	1	1	Balboa TP600	1	1	1
Ultraviolet	•	•	•	•	•	-	-	-
Aromatherapy	-	-	-	-	-	-	-	-
Chromotherapy	3 LEDs / 5 LEDs + light Tab	5 LEDs + light Tab	5 LEDs + light Tab	5 LEDs + light Tab	1 LED	1 LED	1 LED	1 LED
Structure and Cover								
High-resistance metal structure	•	•	•	•	•	•	•	•
Insulating base	•	•	•	•	•	•	•	•
Isothermal cover	•	•	•	•	•	Optional	Optional	Optional
Technical equipment								
Filter pump	400 W + 200 W	400 W	400 W	400 W	400 W	600 W	600 W	600 W
Massage pump	3 x 2.2 kW / 3 HP + 2.2 kW / 3 HP	3 x 2.2 kW / 3 HP	3 x 2.2 kW / 3 HP	3 x 2.2 kW / 3 HP	1,5 kW / 2HP	2 x 2.2 kW / 3 HP	1 x 1.8 kW / 2.5 HP	1 x 1.8 kW / 2.5 HP
Blower pump	-	-	-	-	-	900 W	900 W	900 W
Electric heater	3 kW + 3 kW	3 kW	3 kW	3 kW	3 kW	3 kW	3 kW	3 kW
Power consumption and capacity								
Consumption in low amps (W)	9500 W	7000 W	7000 W	7000 W	3400 W	5200 W	3600 W	3600 W
Required power (A) at 230 V	41.3 A	30.4 A	30.4 A	30.4 A	14.78 A	25.4 A	15.7 A	15.7 A
230 V or 400 V III connection	•	•	•	•	•	•	•	•
Water capacity (litres)	6780 l	8500 l	6000 l	6000 l	6000 l	1610 l	980 l	780 l
Spa weight (Empty / Full)	1379 kg / 8159 kg	1177 kg / 9677 kg	1177 kg / 7177 kg	1150 kg / 7150 kg	1150 kg / 7150 kg	378 kg / 1988 kg	330 kg / 1310 kg	307 kg / 1445 kg



Components warranty: 2 years
Acrylic warranty: 10 years
Structure warranty: 15 years

CONFIGURATIONS

Jets	27
Nozzles	12
Waterfalls	0
Headrests	2
Digital control panel	Touch Panel
Chromotherapy	5 LEDs + Illuminated Accessories

STANDARD EQUIPMENT

Stainless steel jets	Yes
EcoSpa thermal insulation	Yes
Lumiplus LED lighting System	Yes
Disinfection system	Ultraviolet
Aromatherapy	Yes

TECHNICAL EQUIPMENT

Massage pump	1,8 kW / 2 HP
Electric heating	3 kW
Air massage pump	1.150 W
Filtration pump	200 W
Low amp power required	3.400 W
Required power at 230V	14,6 A
Voltage	230 V



DESCRIPTION

The Pure hot tub is the most elegant and luxurious spa in the range, making it ideal if you are seeking distinction. Thanks to its high performance, incredible and modern design, and the enveloping LED lighting system with five spotlights and an illuminated front perimeter, the Pure hot tub will beautifully complement any space.

TECHNICAL INFORMATION

GENERAL INFORMATION


Dimensions	220 x 220 x 78 cm
Places (Seats / Loungers)	4 (4 / -)
Water Capacity	975 L
Weight (empty/full)	450 kg / 1.425 kg
Installation	Portable
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal cover

ACRYLIC COLOURS



White

CABINET COLOURS


 White
Solid Surface


STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
White Solid Surface	68450SS	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std + PureLine + EcoSpa	336	\$Price
Std + PureLine + EcoSpa + Bluetooth Audio	337	\$Price
Std + PureLine + EcoSpa + Nordic Insulation	349	\$Price
Std + PureLine + EcoSpa + Nordic Insulation + Bluetooth Audio	350	\$Price
Std + PureLine + EcoSpa + Bluetooth Audio + Wifi Touch Panel	361	\$Price
Std + PureLine + EcoSpa + Nordic Insulation + Bluetooth Audio + Wifi Touch Panel	362	\$Price

3 Choose your spa colour, adding at the end of the code: CL + chosen number

Description	Number	Colours
White	44	

New'Art



Components warranty: 2 years
Acrylic warranty: 10 years
Structure warranty: 15 years

CONFIGURATIONS

Jets	28
Nozzles	14
Waterfalls	0
Headrests	3
Digital control panel	Touch Panel
Chromotherapy	5 LEDs + Illuminated Accessories

STANDARD EQUIPMENT

Stainless steel jets	Yes
EcoSpa thermal insulation	Yes
Lumiplus LED lighting System	Yes
Disinfection system	Ultraviolet

TECHNICAL EQUIPMENT

Massage pump	1,8 kW / 2 HP
Electric heating	3 kW
Air massage pump	1.150 W
Filtration pump	200 W
Low amp power required	3.400 W
Required power at 230V	14,6 A
Voltage	230 V



DESCRIPTION

The New'Art hot tub is the perfect choice for design lovers seeking a holistic relationship between health, comfort and emotion. The design features an enveloping LED lighting system with five spotlights and an illuminated front perimeter, creating the sensation of being in a sensational chromotherapy center.

TECHNICAL INFORMATION

GENERAL INFORMATION


Dimensions	220 x 220 x 78 cm
Places (Seats / Loungers)	5 (3 / 2)
Water Capacity	975 L
Weight (empty/full)	450 kg / 1.425 kg
Installation	Portable
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal cover

ACRYLIC COLOURS



White

CABINET COLOURS

White
Solid Surface

STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
White Solid Surface	68449SS	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std + PureLine + EcoSpa	336	\$Price
Std + PureLine + EcoSpa + Bluetooth Audio	337	\$Price
Std + PureLine + EcoSpa + Nordic Insulation	349	\$Price
Std + PureLine + EcoSpa + Nordic Insulation + Bluetooth Audio	350	\$Price
Std + PureLine + EcoSpa + Bluetooth Audio + Wifi Touch Panel	361	\$Price
Std + PureLine + EcoSpa + Nordic Insulation + Bluetooth Audio + Wifi Touch Panel	362	\$Price

3 Choose your spa colour, adding at the en of the code: CL + choosen number

Description	Number	Colours
White	44	

Evolution 70



Components warranty: 2 years
Acrylic warranty: 10 years
Structure warranty: 15 years

CONFIGURATIONS

Jets	56
Nozzles	16
Waterfalls	0
Headrests	3
Digital control panel	Touch Panel + Auxiliary
Chromotherapy	5 LEDs + Illuminated Accessories

STANDARD EQUIPMENT

Stainless steel jets	Yes
Lumiplus LED lighting System	Yes
Disinfection system	Ultraviolet
Stainless steel bar	Yes
Aromatherapy	Yes

TECHNICAL EQUIPMENT

Massage pump	2 x 2,2 kW / 3 HP
Electric heating	3 kW
Air massage pump	400 W
Filtration pump	200 W
Low amp power required	5.200 W
Required power at 230V	22,4 A
Voltage	230 V



DESCRIPTION


The Evolution 70 hot tub is the ultimate solution for families seeking a spa with unlimited features in an extra-large size. This fully-equipped hot tub, without space limitations, will provide you the space to unwind and share enjoyable moments with family and friends at home.

TECHNICAL INFORMATION



GENERAL INFORMATION

Dimensions	233 x 233 x 91 cm
Places (Seats / Loungers)	5 (3 / 2)
Water Capacity	1.610 L
Weight (empty/full)	378 kg / 1.988 kg
Installation	Portable
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal cover

ACRYLIC COLOURS



CABINET COLOURS



STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
Without cabinet	32474A4	\$Price	\$Eco-Part	xxx
Creek	32474AT	\$Price	\$Eco-Part	xxx
Thunder	32474AR	\$Price	\$Eco-Part	xxx
Butterfly	32474AW	\$Price	\$Eco-Part	xxx
Graphite	32474AK	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std + Lumiplus	320	\$Price
Std + Lumiplus + EcoSpa + Stainless Steel Bar	327	\$Price
Std + Lumiplus + Stainless Steel Bar	332	\$Price
Std + Lumiplus + EcoSpa + Nordic Insulation + Stainless Steel Bar	346	\$Price
Std + Lumiplus + EcoSpa + Nordic Insulation + Bluetooth Audio + Stainless Steel Bar + Wifi Touch Panel	355	\$Price
Std + Lumiplus + EcoSpa + Bluetooth Audio + Stainless Steel Bar + Wifi Touch Panel	356	\$Price
Std + Lumiplus + EcoSpa + Nordic Insulation + Stainless Steel Bar + Wifi Touch Panel	359	\$Price
Std + Lumiplus + EcoSpa + Stainless Steel Bar + Wifi Touch Panel	360	\$Price

3 Choose your spa colour, adding at the en of the code: CL + chosen number

Description	Number	Colours
White	44	
Sterling	59	
Alba	65	
Pearl shadow	64	
Silver	27	

Atlantida 70



Components warranty: 2 years
Acrylic warranty: 10 years
Structure warranty: 15 years

DESCRIPTION


The Atlantida 70 hot tub is a contemporary design spa with modern lines for a complete body massage. Its design seamlessly fits both inside and outside your home, adding a touch of distinction and elegance to your garden. Enjoy an underwater space with numerous jets perfectly positioned for efficient and precise hydrotherapy on each station.

TECHNICAL INFORMATION


GENERAL INFORMATION

Dimensions	216 x 216 x 90 cm
Places (Seats / Loungers)	5 (3 / 2)
Water Capacity	1.138 L
Weight (empty/full)	327 kg / 1.227 kg
Installation	Portable
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal cover

ACRYLIC COLOURS



CABINET COLOURS



CONFIGURATIONS


Jets	52
Nozzles	14
Waterfalls	2
Headrests	3
Digital control panel	Touch Panel
Chromotherapy	5 LEDs + Illuminated Accessories

STANDARD EQUIPMENT

Stainless steel jets	Yes
Lumiplus LED lighting System	Yes
Disinfection system	Ultraviolet
Stainless steel bar	Yes
Aromatherapy	Yes

TECHNICAL EQUIPMENT

Massage pump	2 x 1,8 kW / 2,5 HP
Electric heating	3 kW
Air massage pump	400 W
Filtration pump	200 W
Low amp power required	4.400 W
Required power at 230V	19,1 A
Voltage	230 V



STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
Without cabinet	62399A4	\$Price	\$Eco-Part	xxx
Creek	62399AT	\$Price	\$Eco-Part	xxx
Thunder	62399AR	\$Price	\$Eco-Part	xxx
Butterfly	62399AW	\$Price	\$Eco-Part	xxx
Graphite	62399AK	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std + Lumiplus	320	\$Price
Std + Lumiplus + EcoSpa + Stainless Steel Bar	327	\$Price
Std + Lumiplus + Stainless Steel Bar	332	\$Price
Std + Lumiplus + EcoSpa + Bluetooth Audio + Stainless Steel Bar	335	\$Price
Std + Lumiplus + EcoSpa + Nordic Insulation + Stainless Steel Bar	346	\$Price
Std + Lumiplus + EcoSpa + Nordic Insulation + Bluetooth Audio + Stainless Steel Bar + Wifi Touch Panel	355	\$Price
Std + Lumiplus + EcoSpa + Nordic Insulation + Stainless Steel Bar + Wifi Touch Panel	359	\$Price
Std + Lumiplus + EcoSpa + Stainless Steel Bar + Wifi Touch Panel	360	\$Price

3 Choose your spa colour, adding at the en of the code: CL + chosen number

Description	Number	Colours
White	44	
Sterling	59	
Alba	65	
Pearl shadow	64	
Silver	27	



Pacific 70



Components warranty: 2 years
Acrylic warranty: 10 years
Structure warranty: 15 years

DESCRIPTION


The Pacific 70 hot tub is the ideal choice for those seeking a spa for moments with family and festive gatherings among friends. This hot tub offers you the fullest massage circuit in the range, thanks to its 6 positions in the spa. The Pacific 70 provides you true body regeneration, reduces of physical tension and eliminates stress.

TECHNICAL INFORMATION


GENERAL INFORMATION

Dimensions	216 x 216 x 90 cm
Places (Seats / Loungers)	6 (5 / 1)
Water Capacity	1.138 L
Weight (empty/full)	327 kg / 1.465 kg
Installation	Portable
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal cover

ACRYLIC COLOURS



CABINET COLOURS



CONFIGURATIONS


Jets	51
Nozzles	10
Waterfalls	2
Headrests	3
Digital control panel	Touch Panel
Chromotherapy	5 LEDs + Illuminated Accessories

STANDARD EQUIPMENT

Stainless steel jets	Yes
Lumiplus LED lighting System	Yes
Disinfection system	Ultraviolet
Stainless steel bar	Yes
Aromatherapy	Yes

TECHNICAL EQUIPMENT

Massage pump	2 x 1,8 kW / 2,5 HP
Electric heating	3 kW
Air massage pump	400 W
Filtration pump	200 W
Low amp power required	4.400 W
Required power at 230V	19,1 A
Voltage	230 V



STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
Without cabinet	69130A4	\$Price	\$Eco-Part	xxx
Creek	69130AT	\$Price	\$Eco-Part	xxx
Thunder	69130AR	\$Price	\$Eco-Part	xxx
Butterfly	69130AW	\$Price	\$Eco-Part	xxx
Graphite	69130AK	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std + Lumiplus	320	\$Price
Std + Lumiplus + EcoSpa + Stainless Steel Bar	327	\$Price
Std + Lumiplus + Stainless Steel Bar	332	\$Price
Std + Lumiplus + EcoSpa + Nordic Insulation + Stainless Steel Bar	346	\$Price
Std + Lumiplus + EcoSpa + Nordic Insulation + Bluetooth Audio + Stainless Steel Bar + Wifi Touch Panel	355	\$Price
Std + Lumiplus + EcoSpa + Bluetooth Audio + Stainless Steel Bar + Wifi Touch Panel	356	\$Price
Std + Lumiplus + EcoSpa + Nordic Insulation + Stainless Steel Bar + Wifi Touch Panel	359	\$Price
Std + Lumiplus + EcoSpa + Stainless Steel Bar + Wifi Touch Panel	360	\$Price

3 Choose your spa colour, adding at the en of the code: CL + chosen number

Description	Number	Colours
White	44	
Sterling	59	
Alba	65	
Pearl shadow	64	
Silver	27	



Ocean 70



Components warranty: 2 years
Acrylic warranty: 10 years
Structure warranty: 15 years

DESCRIPTION


The Ocean 70 hot tub it's fully-equipped spa designed for couples, to enjoy a complete hydromassage circuit with your partner without leaving the house. With its compact dimensions, allowing for easier entry and exit, along with ergonomic seats, the Ocean 70 offers a unique relaxation experience.

TECHNICAL INFORMATION


GENERAL INFORMATION

Dimensions	216 x 167 x 74 cm
Places (Seats / Loungers)	3 (1 / 2)
Water Capacity	780 L
Weight (empty/full)	229 kg / 1.009 kg
Installation	Portable
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal cover

ACRYLIC COLOURS



CABINET COLOURS



CONFIGURATIONS


Jets	42
Nozzles	0
Waterfalls	0
Headrests	3
Digital control panel	Touch Panel
Chromotherapy	5 LEDs + Illuminated Accessories

STANDARD EQUIPMENT

Stainless steel jets	Yes
Lumiplus LED lighting System	Yes
Disinfection system	Ultraviolet
Stainless steel bar	Yes

TECHNICAL EQUIPMENT

Massage pump	2,2 kW / 3 HP
Electric heating	3 kW
Air massage pump	-
Filtration pump	200 W
Low amp power required	3.400 W
Required power at 230V	14,6 A
Voltage	230 V



STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
Without cabinet	69863A4	\$Price	\$Eco-Part	xxx
Creek	69863AT	\$Price	\$Eco-Part	xxx
Thunder	69863AR	\$Price	\$Eco-Part	xxx
Butterfly	69863AW	\$Price	\$Eco-Part	xxx
Graphite	69863AK	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std + Lumiplus	320	\$Price
Std + Lumiplus + EcoSpa + Stainless Steel Bar	327	\$Price
Std + Lumiplus + Stainless Steel Bar	332	\$Price
Std + Lumiplus + EcoSpa + Bluetooth Audio + Stainless Steel Bar	335	\$Price
Std + Lumiplus + EcoSpa + Nordic Insulation + Stainless Steel Bar	346	\$Price
Std + Lumiplus + EcoSpa + Nordic Insulation + Bluetooth Audio + Stainless Steel Bar + Wifi Touch Panel	355	\$Price
Std + Lumiplus + EcoSpa + Nordic Insulation + Stainless Steel Bar + Wifi Touch Panel	359	\$Price
Std + LumiPlus + EcoSpa + Stainless Steel Bar + Wifi Touch Panel	360	\$Price

3 Choose your spa colour, adding at the en of the code: CL + chosen number

Description	Number	Colours
White	44	
Sterling	59	
Alba	65	
Pearl shadow	64	
Silver	27	



Components warranty: 2 years
Acrylic warranty: 10 years
Structure warranty: 15 years

DESCRIPTION


The Select E hot tub offers the best hydromassage available in the Essential range. A fully ergonomic model that provides a different massage in each of its 6 positions. The Select E is the ideal hot tub to enjoy time with your family and friends, with a price reduced to the essentials.

TECHNICAL INFORMATION


GENERAL INFORMATION

Dimensions	216 x 216 x 90 cm
Places (Seats / Loungers)	6 (5 / 1)
Water Capacity	930 L
Weight (empty/full)	327 kg / 1.257 kg
Installation	Portable
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal cover

ACRYLIC COLOURS



CABINET COLOURS



CONFIGURATIONS


Jets	51
Nozzles	0
Waterfalls	1
Headrests	3
Digital control panel	Balboa TP600
Chromotherapy	1 LED

STANDARD EQUIPMENT

Stainless steel jets	Yes
Lumiplus LED lighting System	Optional (+2 LEDs)
Disinfection system	Ultraviolet

TECHNICAL EQUIPMENT

Massage pump	2 x 1,8 kW / 2,5 HP
Electric heating	3 kW
Air massage pump	-
Filtration pump	200 W
Low amp power required	3.780 W
Required power at 230V	16,8 A
Voltage	230 V



STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
Without cabinet	76894A4	\$Price	\$Eco-Part	xxx
Infinity	76894AC	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std	300	\$Price
Std + EcoSpa	305	\$Price
Std + EcoSpa + Bluetooth Audio	307	\$Price
Std + Lumiplus	320	\$Price
Std + Lumiplus + Bluetooth Audio	323	\$Price
Std + Lumiplus + EcoSpa + Bluetooth Audio	334	\$Price

3 Choose your spa colour, adding at the en of the code: CL + choosen number

Description	Number	Colours
White	44	
Sterling	59	
Alba	65	
Pearl shadow	64	
Silver	27	



Emotion E



Components warranty: 2 years
Acrylic warranty: 10 years
Structure warranty: 15 years

DESCRIPTION


The Emotion E hot tub is a compact and practical spa with versatile features. This model comes well-equipped with different types of jets for a complete hydromassage experience. The Emotion E it's specifically designed for families who desire a hot tub with exceptional features, providing an ideal space to relax and enjoy quality time at home.

TECHNICAL INFORMATION

GENERAL INFORMATION

Dimensions	216 x 216 x 90 cm
Places (Seats / Loungers)	5 (3 / 2)
Water Capacity	930 L
Weight (empty/full)	327 kg / 1.257 kg
Installation	Portable
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal cover

ACRYLIC COLOURS



CABINET COLOURS



CONFIGURATIONS


Jets	32
Nozzles	12
Waterfalls	0
Headrests	3
Digital control panel	Balboa TP600
Chromotherapy	1 LED

STANDARD EQUIPMENT

Stainless steel jets	Yes
Lumiplus LED lighting System	Optional (+2 LEDs)
Disinfection system	Ultraviolet

TECHNICAL EQUIPMENT

Massage pump	1,8 kW / 2,5 HP
Electric heating	3 kW
Air massage pump	400 W
Filtration pump	200 W
Low amp power required	3.400 W
Required power at 230V	14,6 A
Voltage	230 V



STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
Without cabinet	69122A4	\$Price	\$Eco-Part	xxx
Infinity	69122AC	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std	300	\$Price
Std + EcoSpa	305	\$Price
Std + EcoSpa + Bluetooth Audio	307	\$Price
Std + Lumiplus + EcoSpa + Bluetooth Audio	334	\$Price

3 Choose your spa colour, adding at the en of the code: CL + chosen number

Description	Number	Colours
White	44	
Sterling	59	
Alba	65	
Pearl shadow	64	
Silver	27	



Balance E



Components warranty: 2 years
Acrylic warranty: 10 years
Structure warranty: 15 years

CONFIGURATIONS

Jets	31
Nozzles	12
Waterfalls	0
Headrests	3
Digital control panel	Balboa TP500
Chromotherapy	1 LED

STANDARD EQUIPMENT

Stainless steel jets	Yes
Disinfection system	Ultraviolet

TECHNICAL EQUIPMENT

Massage pump	1,8 kW / 2,5 HP (2 vel.)
Electric heating	3 kW
Air massage pump	400 W
Filtration pump	-
Low amp power required	3.400 W
Required power at 230V	14,6 A
Voltage	230 V



DESCRIPTION

The Balance E hot tub strikes the perfect balance between features and performance – a spa that's excellent for relaxing with your family or enjoying a hydromassage session with friends. One of its main advantages is its compact shape and a height of only 74 cm, allowing for elegant integration into any space without the need for steps.

TECHNICAL INFORMATION


GENERAL INFORMATION

Dimensions	198 x 198 x 74 cm
Places (Seats / Loungers)	5 (3 / 2)
Water Capacity	935 L
Weight (empty/full)	246 kg / 1.181 kg
Installation	Portable
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal cover

ACRYLIC COLOURS



CABINET COLOURS



STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
Without cabinet	74134A4	\$Price	\$Eco-Part	xxx
Infinity	74134AC	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std	300	\$Price
Std + EcoSpa	305	\$Price
Std + EcoSpa + Bluetooth Audio	307	\$Price
Std + Lumiplus + EcoSpa + Bluetooth Audio	334	\$Price

3 Choose your spa colour, adding at the en of the code: CL + chosen number

Description	Number	Colours
White	44	
Sterling	59	

ESSENTIAL

Equilibre E



Components warranty: 2 years
Acrylic warranty: 10 years
Structure warranty: 15 years

DESCRIPTION

The Equilibre E hot tub is the ideal choice for couples. This spa is a perfectly-sized compact model with soft shapes in its interior, making it easy to move around in the hot tub. Enjoy a fantastic hydromassage session or a relaxing bath, depending what massage program you choose.

TECHNICAL INFORMATION

GENERAL INFORMATION

Dimensions	216 x 167 x 74 cm
Places (Seats / Loungers)	3 (1 / 2)
Water Capacity	780 L
Weight (empty/full)	229 kg / 1.009 kg
Installation	Portable
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal cover

ACRYLIC COLOURS



CABINET COLOURS



CONFIGURATIONS


Jets	26
Nozzles	0
Waterfalls	0
Headrests	3
Digital control panel	Balboa TP500
Chromotherapy	1 LED

STANDARD EQUIPMENT

Stainless steel jets	Yes
Disinfection system	Ultraviolet

TECHNICAL EQUIPMENT

Massage pump	1,8 kW / 2,5 HP (2 vel.)
Electric heating	3 kW
Air massage pump	-
Filtration pump	-
Low amp power required	3.400 W
Required power at 230V	14,6 A
Voltage	230 V



STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
Without cabinet	73076A4	\$Price	\$Eco-Part	xxx
Infinity	73076AC	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std	300	\$Price
Std + EcoSpa	305	\$Price
Std + Lumiplus + EcoSpa + Bluetooth Audio	334	\$Price

3 Choose your spa colour, adding at the end of the code: CL + chosen number

Description	Number	Colours
White	44	
Sterling	59	



Components warranty: 2 years
Acrylic warranty: 3 years
Structure warranty: 5 years

DESCRIPTION

The Baia hot tub is the perfect choice for those seeking a spa of large dimensions. With its massage jets, it offers a unique and powerful massage circuit that suits every part of the body. Baia is the optimal spa for groups, allowing you to enjoy a relaxing bath with family or friends at home.

TECHNICAL INFORMATION

GENERAL INFORMATION

Dimensions	216 x 216 x 90 cm
Places (Seats / Loungers)	5 (3 / 2)
Water Capacity	980 L
Weight (empty/full)	330 kg / 1.310 kg
Installation	Portable
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal cover

ACRYLIC COLOURS



CABINET COLOURS



CONFIGURATIONS


Jets	62
Nozzles	0
Waterfalls	0
Headrests	3
Digital control panel	Balboa TP500
Chromotherapy	1 LED

STANDARD EQUIPMENT

Stainless steel jets	Yes
Green Layer thermal insulation	Yes
Disinfection system	Ultraviolet

TECHNICAL EQUIPMENT

Massage pump	2 x 1,8 kW / 2,5 HP
Electric heating	3 kW
Air massage pump	-
Filtration pump	200 W
Low amp power required	3.800 W
Required power at 230V	16,5 A
Voltage	230 V



STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
Ash	76173BA	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std + Green Layer	369	\$Price
Std + Green Layer + Bluetooth Audio	370	\$Price

3 Choose your spa colour, adding at the en of the code: CL + choosen number

Description	Number	Colours
White	44	
Sterling	59	



ORIGINS

Malea



Components warranty: 2 years
Acrylic warranty: 3 years
Structure warranty: 5 years

DESCRIPTION

The Malea hot tub is an affordable family option for everyone. Enjoy its hydromassage circuit distributed across 5 positions with your family and friends at home. This spa has a compact height of 74cm, allowing for easy access and movement inside.

TECHNICAL INFORMATION

GENERAL INFORMATION

Dimensions	198 x 198 x 74 cm
Places (Seats / Loungers)	5 (3 / 2)
Water Capacity	935 L
Weight (empty/full)	253 kg / 1.181 kg
Installation	Portable
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal cover

ACRYLIC COLOURS



CABINET COLOURS



CONFIGURATIONS


Jets	31
Nozzles	12
Waterfalls	0
Headrests	3
Digital control panel	Balboa TP500
Chromotherapy	1 LED

STANDARD EQUIPMENT

Stainless steel jets	Yes
Green Layer thermal insulation	Yes
Disinfection system	Ultraviolet

TECHNICAL EQUIPMENT

Massage pump	1,8 kW / 2,5 HP (2 vel.)
Electric heating	2 kW
Air massage pump	400 W
Filtration pump	-
Low amp power required	2.650 W
Required power at 230V	11,5 A
Voltage	230 V



STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
Ash	76306BA	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std + Green Layer	369	\$Price
Std + Green Layer + Bluetooth Audio	370	\$Price

3 Choose your spa colour, adding at the en of the code: CL + choosen number

Description	Number	Colours
White	44	
Sterling	59	





Components warranty: 2 years
Acrylic warranty: 3 years
Structure warranty: 5 years

CONFIGURATIONS

Jets	26
Nozzles	0
Waterfalls	0
Headrests	3
Digital control panel	Balboa TP500
Chromotherapy	1 LED

STANDARD EQUIPMENT

Stainless steel jets	Yes
Green Layer thermal insulation	Yes
Disinfection system	Ultraviolet

TECHNICAL EQUIPMENT

Massage pump	1,8 kW / 2,5 HP (2 vel.)
Electric heating	2 kW
Air massage pump	-
Filtration pump	-
Low amp power required	2.400 W
Required power at 230V	10,4 A
Voltage	230 V



DESCRIPTION

The Alexandria hot tub is the solution for quality time as a couple, fitting seamlessly into any home. This functional hot tub can be integrated into both indoor and outdoor spaces. With its compact dimensions, it becomes the ideal accessory for the home, offering easy access and a pressure massage circuit.

TECHNICAL INFORMATION


GENERAL INFORMATION

Dimensions	216 x 167 x 74 cm
Places (Seats / Loungers)	3 (1 / 2)
Water Capacity	780 L
Weight (empty/full)	229 kg / 1.009 kg
Installation	Portable
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal cover

ACRYLIC COLOURS



CABINET COLOURS



STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
Ash	76307BA	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std + Green Layer	369	\$Price
Std + Green Layer + Bluetooth Audio	370	\$Price

3 Choose your spa colour, adding at the en of the code: CL + choosen number

Description	Number	Colours
White	44	
Sterling	59	

SWIMSPA

Dual



Components warranty: 2 years
Acrylic warranty: 10 years
Structure warranty: 15 years

CONFIGURATIONS

Jets	16 + 5 Turbo / 30
Nozzles	0
Waterfalls	0
Headrests	3
Digital control panel	2 Touch Panels
Chromotherapy	3 LEDs / 5 LEDs + Illuminated Accessories

STANDARD EQUIPMENT

Stainless steel jets	Yes
Lumiplus LED lighting System	Yes
Disinfection system	Ultraviolet
Stainless steel bar	Yes
Rowing Kit	Optional. Code: 74496

TECHNICAL EQUIPMENT

Massage pump	3 x 2,2 kW / 3 HP + 2,2 kW / 3HP
Electric heating	3kW + 3kW
Air massage pump	-
Filtration pump	400 W + 200 W
Low amp power required	9.500 W
Required power at 230V	41,3 A
Voltage	230 V



DESCRIPTION

The Swimspa Dual is the perfect model for your home, as it allows you to swim and relax at the same time. The swimming area features turbo jets that create a counter-current, providing an excellent fitness experience. Meanwhile, the spa area offers a comprehensive hydromassage circuit, ensuring well-deserved relaxation after your fitness or swimming session.

TECHNICAL INFORMATION



GENERAL INFORMATION

Dimensions	600 x 230 x 138 cm
Places (Seats / Loungers)	4 (2 / 2) + 1 vertical
Water Capacity	7.000 L
Weight (empty/full)	1.500 kg / 8.500 kg
Installation	Portable
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal cover

ACRYLIC COLOURS



CABINET COLOURS



STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
Without cabinet	74238A4	\$Price	\$Eco-Part	xxx
Coastal Grey	74238A1	\$Price	\$Eco-Part	xxx
Urban Grey	74238AB	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std + Lumiplus	320	\$Price
Std + Lumiplus + EcoSpa	321	\$Price
Std + Lumiplus + Bluetooth Audio	323	\$Price
Std + Lumiplus + EcoSpa + Bluetooth Audio	334	\$Price

3 Choose your spa colour, adding at the end of the code: CL + chosen number

Description	Number	Colours
White	44	
Sterling	59	



Components warranty: 2 years
Acrylic warranty: 10 years
Structure warranty: 15 years

CONFIGURATIONS

Jets	27 + 5 Turbo
Nozzles	0
Waterfalls	1
Headrests	2
Digital control panel	Touch Panel + Auxiliary
Chromotherapy	5 LEDs + Illuminated Accessories

STANDARD EQUIPMENT

Stainless steel jets	Yes
Lumiplus LED lighting System	Yes
Disinfection system	Ultraviolet
Stainless steel bar	Yes

TECHNICAL EQUIPMENT

Compact kit	64972CE000
Filter	Ø500
Massage pump	3 x 2,2 kW / 3 HP
Electric heating	3 kW
Air massage pump	-
Filtration pump	400 W
Low amp power required	7.000 W
Required power at 230V	30,5 A
Voltage	230 V

DESCRIPTION

The Swimspa Mediterranea is an impressive combination of a hot tub and a swimming pool. Thanks to its large dimensions and the power of its turbo jets, it's perfectly designed for counter-current swimming, combined with a hydrotherapy area. Mediterranea is a high quality swimspa, perfect for enjoying a space for both activity and relaxation throughout the year.

TECHNICAL INFORMATION



GENERAL INFORMATION

Dimensions	500 x 230 x 138 cm
Places (Seats / Loungers)	4 (2 / 2)
Water Capacity	8.500 L
Weight (empty/full)	1.177 kg / 9.677 kg
Installation	Portable & Built-in
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal cover

ACRYLIC COLOURS



CABINET COLOURS



STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
Without cabinet	64414A4	\$Price	\$Eco-Part	xxx
Coastal Grey	64414A1	\$Price	\$Eco-Part	xxx
Urban Grey	64414AB	\$Price	\$Eco-Part	xxx
In-ground - Compact kit version*	65353SE	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std + Lumiplus	320	\$Price
Std + Lumiplus + EcoSpa	321	\$Price
Std + Lumiplus + Bluetooth Audio	323	\$Price
Std + Lumiplus + EcoSpa + Bluetooth Audio	334	\$Price
Std + Stainless steel jets + Colour LEDs + Digital control panel + Cover*	311	\$Price

3 Choose your spa colour, adding at the en of the code: CL + chosen number

Description	Number	Colours
White	44	
Sterling	59	

*For in-ground version, only optional equipment 311 can be chosen.



SWIMSPA

Creta



Components warranty: 2 years
Acrylic warranty: 10 years
Structure warranty: 15 years

DESCRIPTION


The Swimspa Creta is the impeccable combination of a hot tub and a swimming pool. It is designed for counter-current swimming or any aqua fitness discipline, making it suitable for year-round use. The hot tub area is crafted to provide an excellent hydromassage circuit, while the swimming area is designed for various water sports and activities.

TECHNICAL INFORMATION

GENERAL INFORMATION

Dimensions	400 x 230 x 138 cm
Places (Seats / Loungers)	4 (2 / 1) + 1 vertical
Water Capacity	6.000 L
Weight (empty/full)	1.150 kg / 7.150 kg
Installation	Portable & Built-in
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal cover

ACRYLIC COLOURS



CABINET COLOURS



CONFIGURATIONS


Jets	54 + 4 Turbo
Nozzles	0
Waterfalls	0
Headrests	3
Digital control panel	Touch Panel
Chromotherapy	5 LEDs + Illuminated Accessories

STANDARD EQUIPMENT

Stainless steel jets	Yes
Lumiplus LED lighting System	Yes
Disinfection system	Ultraviolet
Stainless steel bar	Yes
Rowing Kit	Optional

TECHNICAL EQUIPMENT

Compact kit	64972CE000
Filter	Ø500
Massage pump	3 x 2,2 kW / 3 HP
Electric heating	3 kW
Air massage pump	-
Filtration pump	400 W
Low amp power required	7.000 W
Required power at 230V	30,5 A
Voltage	230 V



STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
Without cabinet	67203A4	\$Price	\$Eco-Part	xxx
Coastal Grey	67203A1	\$Price	\$Eco-Part	xxx
Urban Grey	67203AB	\$Price	\$Eco-Part	xxx
In-ground - Compact kit version*	67587SE	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std + Lumiplus	320	\$Price
Std + Lumiplus + EcoSpa	321	\$Price
Std + Lumiplus + Bluetooth Audio	323	\$Price
Std + Lumiplus + EcoSpa + Bluetooth Audio	334	\$Price
Std + Stainless steel jets + Colour LEDs + Digital control panel + Cover*	311	\$Price

3 Choose your spa colour, adding at the end of the code: CL + chosen number

Description	Number	Colours
White	44	
Sterling	59	

*For in-ground version, only optional equipment 311 can be chosen.



Compact



Components warranty: 2 years
Acrylic warranty: 10 years
Structure warranty: 15 years

CONFIGURATIONS

Jets	16 + 5 Turbo
Nozzles	0
Waterfalls	0
Headrests	0
Digital control panel	Touch Panel
Chromotherapy	5 LEDs + Illuminated Accessories

STANDARD EQUIPMENT

Stainless steel jets	Yes
Lumiplus LED lighting System	Yes
Disinfection system	Ultraviolet
Stainless steel bar	Yes

TECHNICAL EQUIPMENT

Compact kit	64972CE000
Filter	Ø500
Massage pump	3 x 2,2 kW / 3 HP
Electric heating	3 kW
Air massage pump	-
Filtration pump	400 W
Low amp power required	7.000 W
Required power at 230V	30,5 A
Voltage	230 V



DESCRIPTION

The Swimspa Compact is the optimal choice for those seeking a spacious area for comfortable swimming, complemented by an exclusive massage station. With its compact shape and design, and the optional Rowing Kit providing multiple ways to use it, the Swimspa Compact allows you to enjoy a complete fitness circuit throughout the year.

TECHNICAL INFORMATION


GENERAL INFORMATION

Dimensions	400 x 230 x 138 cm
Places (Seats / Loungers)	1 vertical
Water Capacity	6.000 L
Weight (empty/full)	1.150 kg / 7.150 kg
Installation	Portable & Built-in
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal cover

ACRYLIC COLOURS



CABINET COLOURS



STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
Without cabinet	69128A4	\$Price	\$Eco-Part	xxx
Coastal Grey	69128A1	\$Price	\$Eco-Part	xxx
Urban Grey	69128AB	\$Price	\$Eco-Part	xxx
In-ground - Compact kit version*	69129SE	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std + Lumiplus	320	\$Price
Std + Lumiplus + EcoSpa	321	\$Price
Std + Lumiplus + Bluetooth Audio	323	\$Price
Std + Lumiplus + EcoSpa + Bluetooth Audio	334	\$Price
Std + Stainless steel jets + Colour LEDs + Digital control panel + Cover*	311	\$Price

3 Choose your spa colour, adding at the en of the code: CL + choosen number

Description	Number	Colours
White	44	
Sterling	59	

*For in-ground version, only optional equipment 311 can be chosen.

Lagoon



Components warranty: 2 years
Acrylic warranty: 10 years
Structure warranty: 15 years

DESCRIPTION

The Swimspa Lagoon is a new concept in mini pools that can be adapted to any space. Enjoy the comfort of a swimming pool and a relaxing massage at home. Its massage jets activate a unique hydromassage circuit, making it ideal for a calming bath or a swim with family and friends.

TECHNICAL INFORMATION

GENERAL INFORMATION

Dimensions	400 x 230 x 138 cm
Places (Seats / Loungers)	1 vertical
Water Capacity	6.000 L
Weight (empty/full)	1.150 kg / 7.150 kg
Installation	Portable
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal cover

ACRYLIC COLOURS



CABINET COLOURS



CONFIGURATIONS

Jets	12
Nozzles	0
Waterfalls	0
Headrests	0
Digital control panel	Balboa TP600
Chromotherapy	1 LED

STANDARD EQUIPMENT

Stainless steel jets	Yes
Lumiplus LED lighting System	Yes
Disinfection system	Ultraviolet

TECHNICAL EQUIPMENT

Massage pump	1,5 kW / 2 HP
Electric heating	3 kW
Air massage pump	-
Filtration pump	400 W
Low amp power required	3.400 W
Required power at 230V	14,78 A
Voltage	230 V



STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
Without cabinet	74237A4	\$Price	\$Eco-Part	xxx
Coastal Grey	74237A1	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std	300	\$Price
Std + EcoSpa	305	\$Price

3 Choose your spa colour, adding at the end of the code: CL + chosen number

Description	Number	Colours
White	44	
Sterling	59	



Evolution 70 Inground



Components warranty: 2 years
Acrylic warranty: 10 years
Structure warranty: 15 years

DESCRIPTION

The Evolution 70 Inground hot tub is the solution for those seeking a spa with unlimited features in an extra-large size. This well-equipped hot tub has been designed without a cabinet and with a separate filtration system outside the structure. Enjoy relaxing and pleasant moments with family and friends in the comfort of your home.

TECHNICAL INFORMATION


GENERAL INFORMATION

Dimensions	233 x 233 x 90 cm
Places (Seats / Loungers)	5 (3 / 2)
Water Capacity	1.610 L
Weight (empty/full)	378 kg / 1.988 kg
Installation	Built-in
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal Cover (Optional)

ACRYLIC COLOURS



CABINET COLOURS



CONFIGURATIONS


Jets	56
Nozzles	16
Waterfalls	0
Headrests	3
Digital control panel	Touch Panel
Chromotherapy	1 LED

STANDARD EQUIPMENT

Stainless steel jets	Yes
Disinfection system	Optional

TECHNICAL EQUIPMENT

Compact kit	41849
Filter	Ø500
Massage pump	2 x 2,2 kW / 3 HP
Electric heating	3 kW
Air massage pump	900 W
Filtration pump	600 W
Low amp power required	5.200 W
Required power at 230V	25,4 A
Voltage	230 V / 400 V III



STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
In-ground - Compact kit version	49722SE	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std + Stainless steel jets + Colour LEDs + Digital control panel	310	\$Price
Std + Stainless steel jets + Colour LEDs + Digital control panel + Cover	311	\$Price

3 Choose your spa colour, adding at the en of the code: CL + choosen number

Description	Number	Colours
White	44	
Sterling	59	
Alba	65	
Pearl shadow	64	
Silver	27	



IN-GROUND

Thalassa E Inground



Components warranty: 2 years
Acrylic warranty: 10 years
Structure warranty: 15 years

DESCRIPTION


The Thalassa E Inground hot tub features a fully ergonomic design that provides a distinct massage experience in each of its 6 positions. Designed without a cabinet, it requires a filtration system for proper installation and operation. Enjoy the perfect hot tub for quality time with family and friends.

TECHNICAL INFORMATION

GENERAL INFORMATION

Dimensions	216 x 216 x 90 cm
Places (Seats / Loungers)	6 (5 / 1)
Water Capacity	980 L
Weight (empty/full)	330 kg / 1.310 kg
Installation	Built-in
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal Cover (Optional)

ACRYLIC COLOURS



CABINET COLOURS



CONFIGURATIONS


Jets	28
Nozzles	16
Waterfalls	0
Headrests	3
Digital control panel	Touch Panel
Chromotherapy	1 LED

STANDARD EQUIPMENT

Stainless steel jets	Yes
Disinfection system	Optional

TECHNICAL EQUIPMENT

Compact kit	41993CE000
Filter	Ø500
Massage pump	1,8 kW / 2,5 HP
Electric heating	3 kW
Air massage pump	900 W
Filtration pump	600 W
Low amp power required	3.600 W
Required power at 230V	15,7 A
Voltage	230 V / 400 V III



STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
In-ground - Compact kit version	78678SE	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std + Stainless steel jets + Colour LEDs + Digital control panel	310	\$Price
Std + Stainless steel jets + Colour LEDs + Digital control panel + Cover	311	\$Price

3 Choose your spa colour, adding at the en of the code: CL + chosen number

Description	Number	Colours
White	44	
Sterling	59	
Alba	65	
Pearl shadow	64	
Silver	27	



Ronda 30



Components warranty: 2 years
Acrylic warranty: 10 years
Structure warranty: 15 years

CONFIGURATIONS

Jets	20
Nozzles	10
Waterfalls	0
Headrests	0
Digital control panel	Touch Panel
Chromotherapy	1 LED

STANDARD EQUIPMENT

Stainless steel jets	Yes
Disinfection system	Optional

TECHNICAL EQUIPMENT

Compact kit	41993CE000
Filter	Ø500
Massage pump	1,8 kW / 2,5 HP
Electric heating	3 kW
Air massage pump	900 W
Filtration pump	600 W
Low amp power required	3.600 W
Required power at 230V	15,7 A
Voltage	230 V / 400 V III



DESCRIPTION


The Ronda 30 hot tub offers a well-rounded experience. This model is a circular built-in spa with different positions designed to create a relaxing experience and an easy circuit between its positions. Ronda 30 requires a filtration system for proper installation and operation.

TECHNICAL INFORMATION


GENERAL INFORMATION

Dimensions	Ø 205 cm
Places (Seats / Loungers)	5 (5 / -)
Water Capacity	780 L
Weight (empty/full)	307 kg / 1.445 kg
Installation	Built-in
Structure and Cover	• Acrylic structure • Heavy duty metal frame • Insulating ABS base • Isothermal Cover (Optional)

ACRYLIC COLOURS



CABINET COLOURS



STEPS TO ORDER A SPA

1 Choose your cabinet

Description	Code	Ex. VAT Price	Eco-Part	Discount code
In-ground - Compact kit version	49859SE	\$Price	\$Eco-Part	xxx

2 Choose the optional equipment by adding the following 3 numbers

Description	Number	Ex. VAT Price
Std + Stainless steel jets + Colour LEDs + Digital control panel	310	\$Price
Std + Stainless steel jets + Colour LEDs + Digital control panel + Cover	311	\$Price

3 Choose your spa colour, adding at the en of the code: CL + choosen number

Description	Number	Colours
White	44	
Sterling	59	
Alba	65	
Pearl shadow	64	
Silver	27	



COMPACT FILTRATION HOUSING FOR SPAS


Compact kit for Spas

QR Code
Zone

Kit pre-assembled for filtration, heating and massage.
For Thalassa E Inground and Ronda 30 models.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Compact kit	41993CE000	1	140	\$Price	\$Eco-part	xxx
Compact kit + oxynator	41993CE001	1	140	\$Price	\$Eco-part	xxx



Compact kit for Evolution 70 Inground

QR Code
Zone

Kit pre-assembled for filtration, heating and massage.
For Evolution 70 Inground model.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Compact kit	41849CE000	1	175	\$Price	\$Eco-part	xxx
Compact kit + oxynator	41849CE001	1	175	\$Price	\$Eco-part	xxx



Compact kit for Swimspas

QR Code
Zone

Kit pre-assembled for filtration, heating and massage.
For Mediterranean, Compact and Creta swimspa models.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Compact kit + oxynator	64972CE001	1	175	\$Price	\$Eco-part	xxx



TECHNICAL FEATURES

Code	41993	41849	64972
Compact Weight	60kg	70kg	70kg
Assembly volume	2.05m ³	2.05m ³	2.05m ³
Max. Spa volume	1000L	1610L	8500L
Filter dimensions (mm)	ø500	ø500	ø500
Filtration pump	0.6kW	0.6kW	0.6kW
Massage pump	2.2kW	2 x 2.2kW / 3HP	3 x 2.2kW / 3HP
Blower pump	0.9kW	0.9kW	-
Electric heater	3kW	3kW	3kW
Oxynator	Optional	Optional	Yes
Chromotherapy	-	Yes	Yes
Digital Control Panel**	Yes	Yes	Yes
Power Requirements	3852W / 16.7A*	5200W / 25.4W*	7352W / 31.9A*
Voltage	230V or 400 V III	230V	230V or 400 V III
Dimensions (length x width x height)	1125 x 1000 x 1200 mm	1125 x 1000 x 1200 mm	1125 x 1000 x 1200 mm

* Consumption in Low Amp at 230V

** In the Spa + Compact Kit option, the digital control option must be selected

THE IDEAL OPTION TO INCREASE
THE ENERGY EFFICIENCY
OF YOUR SPA AND SWIMSPA

THE SAVING
BENEFITS
YOU'VE BEEN
WAITING FOR:



1 Faster water heating



2 More efficient spa temperature maintenance




Works at low ambient air temperatures



Directly integrated on the Touch Panel

** Available for spas measuring 216x216x90cm and swimspas, except in their inground version*



SPA ACCESSORIES

Spa heat pump

QR Code
Zone

Spa heat pump that combines an efficient and energy-saving heating solution for your spa. It offers world-class quiet, accelerated heating or cooling of the spa water with lower, sustained costs and guaranteed excellence. This heat pump is especially designed for spas and it works at low ambient air temperatures (-20°C).

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Spa Heat Pump	73001HP	1	51	\$Price	\$Eco-part	xxx



SPA ACCESSORIES

Premium hot tub cover



QR Code
Zone

The premium hot tub cover is made from high-quality textile material. Thanks to its advanced thermal insulation and enhanced waterproofing, it offers superior protection for your spa while efficiently retaining heat. This premium cover maintains your spa in perfect condition, regardless of the weather, year-round.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Pure - New'Art Premium Cover 220x220cm	76843	1	31	\$Price	\$Eco-part	xxx



Hot tub cover

QR Code
Zone

The hot tub cover is perfect for preventing water from evaporating, any dirt from falling into the hot tub, and for maintaining the temperature of the water, thus ensuring the efficient performance of the system.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Evolution 70 - Evolution 70 Inground Cover 233x233cm	32690	1	37	\$Price	\$Eco-part	xxx
Atlantida 70 - Pacific 70 - Emotion E - Select E - Baia - Thalassa E Cover 216x216cm	65977	1	29	\$Price	\$Eco-part	xxx
Balance E - Malea Cover 198x198cm	76986	1	40	\$Price	\$Eco-part	xxx
Ocean 70 - Equilibre E - Alexandria Cover 216x167cm	69866	1	29	\$Price	\$Eco-part	xxx
Ronda 30 Cover Ø2m	51288	1	30	\$Price	\$Eco-part	xxx
Swimspa Mediterranea Cover 5m	77037	1	70	\$Price	\$Eco-part	xxx
Swimspa Compact - Creta - Lagoon Cover 4m	77038	1	60	\$Price	\$Eco-part	xxx
Swimspa Dual Cover 5,75m	77039	1	30	\$Price	\$Eco-part	xxx




Cover lift

QR Code
Zone

Metal hand rail. For easier handling of the cover.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Cover lift	28462	1	10	\$Price	\$Eco-part	xxx



SPA ACCESSORIES

Stairs to enter the hot tub

QR Code
Zone

Stairs for easy access to the hot tub.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Synthetic wood staircase Graphite	42002CLOK	1	10	\$Price	\$Eco-part	xxx
Synthetic wood staircase Thunder	42002CLOK	1	10	\$Price	\$Eco-part	xxx
Synthetic wood staircase Creek	42002CLOT	1	10	\$Price	\$Eco-part	xxx
Synthetic wood staircase Butterfly	42002CLOW	1	10	\$Price	\$Eco-part	xxx
Basic Ladder Coastal Grey	60194	1	3	\$Price	\$Eco-part	xxx



Stairs to enter the swimspa

QR Code
Zone

4-step stairs for easy access to the swimspa.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Swimspa Ladder	57000CLO1	1	35	\$Price	\$Eco-part	xxx



Swimming and fitness kit

QR Code
Zone

The swimming and fitness kit is composed by:

- Swimming pole with harness: to swim comfortably without worrying about moving too far and hitting the swimspa wall
- Elastic bands: for multiple fitness exercises
- Oars: installed on the wall with elastic bands that allow you to adjust tension as needed

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Swimming and fitness kit	68057	1	2.8	\$Price	\$Eco-part	xxx



Rowing kit for Swimspa

QR Code
Zone

The rowing kit for swimspas is composed by paddles installed on the wall of the spa, with elastic bands with which you can adjust tension as needed.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Rowing kit	68233	48	10.6	\$Price	\$Eco-part	xxx


SPA ACCESSORIES

Portable spa handrail holder

QR Code
Zone

Ideal support for accessing and exiting the spa. Equipped with a 360° rotating bar and a central bar that ensures the stability of the spa.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Portable spa handrail holder	60226	1	14	\$Price	\$Eco-part	xxx



Spa filter cartridge cleaner

QR Code
Zone

Clean filter cartridges using only water pressure. Quick and easy: insert the dirty filter into the device, connect it to a regular garden hose, and turn on the tap! The filter is perfectly cleaned in 1 minute.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Spa filter cartridge cleaner	60197	1	15	\$Price	\$Eco-part	xxx



Programmable digital thermostat

QR Code
Zone

For switching relays on/off.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Programmable digital thermostat	11288	20	6	\$Price	\$Eco-part	xxx



Electric press button

QR Code
Zone

To start and stop the massage and hydromassage functions.
Power supply 230 V 50 Hz.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Electric press button	74467	1	1.5	\$Price	\$Eco-part	xxx


SPA ACCESSORIES

Electro-pneumatic equipment

QR Code
Zone

With two switches. Up to 1.47 kW (2 HP)

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Electro-pneumatic equipment	04053	2	2	\$Price	\$Eco-part	xxx



Pneumatic switch

QR Code
Zone

To start and stop the massage and hydromassage functions.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Pneumatic switch	04050	25	1.5	\$Price	\$Eco-part	xxx
Pneumatic switch and presostat	11290	6	2.5	\$Price	\$Eco-part	xxx
Pneumatic presostat	11291	12	1.5	\$Price	\$Eco-part	xxx


SPA WHITE GOODS & PLUMBING

2 1/2" adjustable jet

QR Code
Zone

Regulates proportion of air/water outlet. 50 mm diameter water inlet and 32 mm air inlet. Flow: 4 m3/hour. Pressure 0.8 a.t.m.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
2 1/2" adjustable jet	32641	12	7.625	\$Price	\$Eco-part	xxx



2" threaded jet

QR Code
Zone

50 mm diameter water inlet and 32 mm diameter air inlet. Flow 4 m3/hour. Pressure 0.8 a.t.m.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
2" threaded jet	33586	15	8	\$Price	\$Eco-part	xxx



SPA WHITE GOODS & PLUMBING

2" threaded jet for liner

 QR Code
Zone

50 mm diameter water inlet and 32 mm diameter air inlet. Flow 4 m3/hour. Pressure 0.8 a.t.m.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
2" threaded jet for liner	70532	12	7.625	\$Price	\$Eco-part	xxx



2" main drain

 QR Code
Zone

With elbow for gluing to Ø50mm pipe.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
2" main drain	04042	15	5.792	\$Price	\$Eco-part	xxx



1" air controller

 QR Code
Zone

1", for air regulation to Venturi system for jet function

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
1" air controller	04045	25	3.083	\$Price	\$Eco-part	xxx



Adjustable silent air inlet

 QR Code
Zone

Silent venturi for air jet flow control. Air intake is through the recessed part of the housing. It is attached to the air distributor, code 33937.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Adjustable silent air inlet	33938	50	4	\$Price	\$Eco-part	xxx



5-outlet air distributor for venturi

 QR Code
Zone

5-outlet air distributor for gluing to Venturi system with code 33938. The outlets are attached to a flexible hose with an inner diameter of 10 mm.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
5-outlet air distributor for venturi	33937	20	2	\$Price	\$Eco-part	xxx



SPA WHITE GOODS & PLUMBING

6-outlet air distributor

 QR Code
Zone

6-outlet air distributor to attach to pipes with a 10mm inner diameter and glue to 15 mm pipes.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
6-outlet air distributor	33936	15	2	\$Price	\$Eco-part	xxx



10-outlet air distributor

 QR Code
Zone

10-outlet air distributor to attach to pipes with a 10mm inner diameter and glue to 50mm pipes.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
10-outlet air distributor	35346	15	8	\$Price	\$Eco-part	xxx



SPA WHITE GOODS & PLUMBING

4-outlet water manifold

 QR Code
Zone

Water manifold to glue to a 50 mm pipe, 4 outlets to attach to a hose with an inner diameter of 20 mm.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
4-outlet water manifold	33934	25	8	\$Price	\$Eco-part	xxx



8-outlet water manifold

 QR Code
Zone

Water manifold to glue to a 50 mm pipe, 8 outlets to attach to a hose with an inner diameter of 20 mm.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
8-outlet water manifold	33935	15	8	\$Price	\$Eco-part	xxx



Threaded blower nozzle

 QR Code
Zone

For air distribution to the hot tub, through the blower pump.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
White plastic front cover	27602	80	2.792	\$Price	\$Eco-part	xxx
Stainless steel front cover	43440	80	2.792	\$Price	\$Eco-part	xxx





Blower nozzle for gluing

For air distribution to the hot tub, through the blower pump.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
White plastic front cover	28460	80	2.792	\$Price	\$Eco-part	xxx
Stainless steel front cover	43441	80	2	\$Price	\$Eco-part	xxx



Blower nozzle side outlet 3/8"

For air distribution inside the hot tub, through the action of the blower pump. White plastic front cover and stainless steel front cover.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Blower nozzle side outlet 3/8"	34318	80	2.792	\$Price	\$Eco-part	xxx
Blower nozzle side outlet 3/8"	43442	80	2.79	\$Price	\$Eco-part	xxx



2" return nozzle

For return line and massage.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
2" return nozzle	04034	25	3.167	\$Price	\$Eco-part	xxx



Pneumatic push switch

Allow bathers to control water features from within the pool. For starting and stopping massage and hydromassage functions.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
For max. 15 m	04047	20	1	\$Price	\$Eco-part	xxx
For max. 7 m simple	04048	40	1.5	\$Price	\$Eco-part	xxx
For max. 7 m simple, with thread	09667	20	2.5	\$Price	\$Eco-part	xxx



Plastic tube

For the pneumatic signal from the push button to the switch, inner Ø 3.5 mm.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Ø 3,5 mm 50 ml	04054	50	3.333	\$Price	\$Eco-part	xxx



SPA WHITE GOODS & PLUMBING

Single rotating jet

QR Code
Zone

Single rotating jet for concrete. Flow rate 2 to 2,5 m3/h.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Single rotating jet	20297	25	3.333	\$Price	\$Eco-part	xxx



Double rotating jet

QR Code
Zone

Double rotating jet for concrete. Flow rate 2 to 2,5 m3/h.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Double rotating jet	20296	25	3.833	\$Price	\$Eco-part	xxx



Rotating jet housing

QR Code
Zone

Rotating jet housing.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Rotating jet housing	20299	15	5.4	\$Price	\$Eco-part	xxx



Jet housing for linear pool

QR Code
Zone

Rotating jet body for creating hydrotherapy zones in pools. Compatible with single rotating jets (20297) and double rotating jets (20296).

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Jet housing for linear pool	63144	12	3.33	\$Price	\$Eco-part	xxx



2 1/2" wall conduit for rotating jet

QR Code
Zone

Composed of: The jet body, 20 cm wall conduit, niche, threaded fitting, front body. Jet is not included. Flow rate 5 m3/h at 1 bar.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
2 1/2" wall conduit for rotating jet	20295	4	4	\$Price	\$Eco-part	xxx

SPA WHITE GOODS & PLUMBING

Pool Jet 1 directional jet

Flow rate 2.4 to 3.6 m³/h. Accessories compatible with 2½" handrail for Pool Jet.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Stainless steel finish	63148	25	3.83	\$Price	\$Eco-part	xxx
White finish	63149	25	3.83	\$Price	\$Eco-part	xxx

Pool Jet 1 rotating jet

Flow rate 2.4 to 3.6 m³/h. Accessories compatible with 2½" handrail for Pool Jet.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Stainless steel finish	63150	25	3.83	\$Price	\$Eco-part	xxx
White finish	63151	25	3.83	\$Price	\$Eco-part	xxx

Pool Jet 2 rotating jets

Flow rate 2.4 to 3.6 m³/h. Accessories compatible with 2½" handrail for Pool Jet.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Stainless steel finish	63152	25	3.83	\$Price	\$Eco-part	xxx
White finish	63153	25	3.83	\$Price	\$Eco-part	xxx

Pool Jet rotating beehive

Flow rate 2.4 to 3.6 m³/h. Accessories compatible with 2½" handrail for Pool Jet.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Stainless steel finish	63154	25	3.83	\$Price	\$Eco-part	xxx
White finish	63155	25	3.83	\$Price	\$Eco-part	xxx

Wall conduit for Pool Jet

Made up of: the jet straight body (20 mm Air x 32 mm Water), 20 cm wall conduit, niche, front body. Jet is not included.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Wall conduit for Pool Jet	63146	4	4	\$Price	\$Eco-part	xxx



SPA WHITE GOODS & PLUMBING

1 1/2" main drain

 QR Code
Zone

With elbow to glue to 50 mm pipe.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Chrome-plated bronze front cover	04104	3	2.5	\$Price	\$Eco-part	xxx



Adjustable air inlet

 QR Code
Zone

3/4", for air control for the Venturi jet system

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Chrome-plated bronze front cover	04108	10	1.5	\$Price	\$Eco-part	xxx
White plastic front cover	04110	10	1.5	\$Price	\$Eco-part	xxx



Pneumatic push button

 QR Code
Zone

For starting and stopping massage and hydromassage functions

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Chrome-plated bronze front cover	04111	10	1.5	\$Price	\$Eco-part	xxx
White plastic front cover	04113	12	2.5	\$Price	\$Eco-part	xxx



Blower inlet

 QR Code
Zone

For air distribution to the mini hot tub, through the blower pump 1/2" thread with adjustable side air outlet and non-return system. C=1.5 l/s.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Chrome-plated bronze front cover	04114	20	2.5	\$Price	\$Eco-part	xxx



1 1/4" jet adaptor to water return

With return device to the pipes of the water retained inside. With adapter for connection to the water delivery and Venturi pipes, for smooth internal gluing Ø 32 mm, adjustable. Flow rate 2,5-3 m3 / h.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Chrome-plated bronze front cover	04095	8	4.5	\$Price	\$Eco-part	xxx
White plastic front cover	04097	8	3	\$Price	\$Eco-part	xxx



1 1/4" jet

With adaptor to connect to return water pipe and Venturi system to glue to Ø 32 mm pipe, directional.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Chrome-plated bronze front cover	04092	8	4	\$Price	\$Eco-part	xxx
White plastic front cover	04094	25	7	\$Price	\$Eco-part	xxx



1 1/4" return inlet

1 1/4" return inlet nozzle for spas, available in chrome-plated brass or white plastic.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Chrome-plated return inlet	04100	4	2.5	\$Price	\$Eco-part	xxx
White plastic return inlet	04103	12	0.68	\$Price	\$Eco-part	xxx



Turbo Blowers

Turbo pumps - side outlet blowers.

- Large manometric height.
- Specially designed for air blowing in spas and for oxygenation.
- Operate without lubrication and without polluting emissions into the air.
- 50 Hz motor with IP 55 protection index.
- Vertical and horizontal version for all models.
- Range of Turbo Blowers available up to a power of 20 HP three-phase - Contact us

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Blower 0,40 kW Triphasic	33970-2450	1	12	\$Price	\$Eco-part	xxx
Blower 0,85 kW Monophasic	35388-2450	1	18	\$Price	\$Eco-part	xxx
Blower 0,85 kW Triphasic	35387-2450	1	19	\$Price	\$Eco-part	xxx
Blower 1,20 kW Monophasic	31090-2450	1	25	\$Price	\$Eco-part	xxx
Blower 1,30 kW Triphasic	31091-2450	1	24	\$Price	\$Eco-part	xxx
Blower 1,50 kW Monophasic	33971-2450	1	26.5	\$Price	\$Eco-part	xxx
Blower 1,60 kW Triphasic	31092-2450	1	25.5	\$Price	\$Eco-part	xxx
Blower 1,6 kW 2V Triphasic	35389-2450	1	28	\$Price	\$Eco-part	xxx
Blower 2,20 kW Triphasic	31093-2450	1	33	\$Price	\$Eco-part	xxx
Blower 3,0 kW 2V Triphasic	31094-2450	1	44	\$Price	\$Eco-part	xxx
Blower 3,00 kW Triphasic	31095-2450	1	39	\$Price	\$Eco-part	xxx
Blower 4,3 kW 2V Triphasic	31096-2450	1	60	\$Price	\$Eco-part	xxx
Blower 5,5 kW Triphasic	31097-2450	1	68	\$Price	\$Eco-part	xxx
Blower 5,5 kW 2V Triphasic	33972-2450	1	73	\$Price	\$Eco-part	xxx
Blower 7,5 kW Triphasic	31098-2450	1	71	\$Price	\$Eco-part	xxx
Blower 11 kW 2V Triphasic	33973-2450	1	27	\$Price	\$Eco-part	xxx
Blower 12,5 kW Triphasic	33974-2450	1	30	\$Price	\$Eco-part	xxx

TECHNICAL FEATURES

Code	Phase	Frequency 50Hz			Frequency 60Hz		
		Power supply (V)	Flow rate (m³/h)	Maximum pressure (mbar)	Power supply (V)	Flow rate (m³/h)	Maximum pressure (mbar)
33970-2450	3	Δ 200-240 Y 345-415	80	130	Δ 220-275 Y 380-480	98	170
35388-2450	1	200-240	145	160	200-240	175	160
35387-2450	3	Δ 200-240 Y 345-415	145	160	Δ 220-275 Y 380-480	175	160
31090-2450	1	200-240	210	170	200-240	255	140
31091-2450	3	Δ 200-240 Y 345-415	210	170	Δ 220-275 Y 380-480	255	140
33971-2450	1	200-240	210	220	200-240	255	220
31092-2450	3	Δ 200-240 Y 345-415	210	220	Δ 220-275 Y 380-480	255	220
35389-2450	3	Δ 200-240 Y 345-415	150	300	Δ 220-275 Y 380-480	180	310
31093-2450	3	Δ 200-240 Y 345-415	318	230	Δ 220-275 Y 380-480	376	220
31094-2450	3	Δ 200-240 Y 345-415	230	410	Δ 220-275 Y 380-480	275	400
31095-2450	3	Δ 200-240 Y 345-415	318	280	Δ 220-275 Y 380-480	376	280
31096-2450	3	Δ 345-415 Y 600-720	520	600	Δ 380-480 Y 660-720	385	320
31097-2450	3	Δ 345-415 Y 600-720	530	320	Δ 380-480 Y 660-720	620	340
33972-2450	3	Δ 345-415 Y 600-720	320	515	Δ 380-480 Y 660-720	385	530
31098-2450	3	Δ 345-415 Y 600-720	530	400	Δ 380-480 Y 660-720	620	400
33973-2450	3	Δ 345-415 Y 600-720	520	600	Δ 380-480 Y 660-720	620	600
33974-2450	3	Δ 345-415 Y 600-720	1050	270	Δ 380-480 Y 660-720	1250	260


AIR BLOWERS

Intermittent operation air blower, 900W

QR Code
Zone

Air blower pump for discontinuous use of 900 W (0.90 kW).

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
0,90kW, flow 54m3/h at 1,5m water head	19289	1	3.5	\$Price	\$Eco-part	xxx



Water pump

QR Code
Zone

ABS and 75 % FV housing. 0.37 kW (0.5 HP) motor. Electrical connection protection IP55 220 V 1 50 Hz. 2" male suction connection. 1 1/2" male return connection.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Water pump	04091	1	4	\$Price	\$Eco-part	xxx

TECHNICAL FEATURES

Water head	m³/h
2	16.5
4	14.8
6	12.6
8	10
10	7



Intermittent operation air blower

QR Code
Zone

Blower pump for intermittent use 900 kW, for domestic use.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
0,74kW, flow 65m3/h	06862	1	3.9	\$Price	\$Eco-part	xxx
1,10kW, flow 133m3/h	06863	1	4	\$Price	\$Eco-part	xxx



AIR BLOWERS


Cala Pump

QR Code
Zone

- Pump body manufactured in polypropylene reinforced with fibreglass, resistant to pool chemical products thus guaranteeing long and excellent duration.
- Turbine in Noryl.
- Graphite and ceramic mechanical seal.
- AISI 316L stainless steel motor spindle.
- Enclosed motor, completely silent, with IP-55 protection at 2850 r.p.m. Single phase power voltage at 230V-50Hz or triphase at 230/400-50Hz.
- Versions from 1.5 to 4.5 HP.
- Suction and return connections for gluing hoses included with the pump.
- Suction and return at Ø62.

GENERAL INFORMATION

Description	SKU Reference	Standard Pack	Standard Weight in Kg	Ex. VAT Price	Eco-part	Discount Part
Single phase 1.1 kW Cala Pump	CA150M	1		\$Price	\$Eco-part	xxx
Tri phase 1.1 kW Cala Pump	CA150T	1		\$Price	\$Eco-part	xxx
Single phase 1.5 kW Cala Pump	CA200M	1		\$Price	\$Eco-part	xxx
Tri phase 1.5 kW Cala Pump	CA200T	1		\$Price	\$Eco-part	xxx
Single phase 2.2 kW Cala Pump	CA300M	1		\$Price	\$Eco-part	xxx
Tri phase 2.2 kW Cala Pump	CA300T	1		\$Price	\$Eco-part	xxx
Single phase 2.9 kW Cala Pump	CA400M	1		\$Price	\$Eco-part	xxx
Tri phase 2.9 kW Cala Pump	CA450T	1		\$Price	\$Eco-part	xxx



TECHNICAL FEATURES

Code	Power		Size						
	kW	HP	L	WV	HV	WH	HH	DA	DI
CA150M	1.1	1.5	350	225	237	235	228	Ø63	Ø63
CA150T									
CA200M	1.5	2.0	365	225	237	235	228	Ø63	Ø63
CA200T									
CA300M	2.2	3.0	385	225	237	235	228	Ø63	Ø63
CA300T									
CA400M	2.9	4.0	415	225	237	235	228	Ø63	Ø63
CA450T	3.3	4.5							

The sauna pictures do not show the standard product (some accessories can be included from table Accessories Summary).

Please note the codes of the accessories when ordering.

- The benefits of an AstralPool sauna range from muscle relaxation to sweat stimulation thanks to their hot and dry environment (relative humidity between 20% and 50%).
- AstralPool saunas are made from prefabricated panels with interior insulation in mineral wool and aluminium.
- The wall coating is covered with pre-treated wood that has been fired and dried to last for many years.



2 seats, code 70470-70471



4 seats, code 70439-70442

The Miramonte sauna can be made to order in the following woods: spruce, thermo Aspen, Canadian spruce and red cedar.

Miramonte sauna

DESCRIPTION

Miramonte sauna reflects the excellence of a Finnish sauna formed of high-quality white pinewood vertical panels and abachi timber flooring. The entire front panel of the Miramonte sauna is glazed to showcase the LED lighting inside. Also includes 2 benches with abachi headrests and a heater adapted to each size.

Dimensions (mm)	Code	Standard Pack	Standard weight in kg	Standard volume in m ³	Ex. VAT Price	Eco-part
Saunas						
200 x 150 x 210	70470	-	-	-	\$Price	\$EcoPart
200 x 200 x 210	70471	-	-	-	\$Price	\$EcoPart
250 x 200 x 210	70439	-	-	-	\$Price	\$EcoPart
250 x 250 x 210	70440	-	-	-	\$Price	\$EcoPart
300 x 250 x 210	70441	-	-	-	\$Price	\$EcoPart
300 x 300 x 210	70442	-	-	-	\$Price	\$EcoPart
Accessories						
Stainless steel accessories set	70443	un.	-	-	\$Price	\$EcoPart
Set of decorative salt elements	70444	un.	-	-	\$Price	\$EcoPart
Outside wall finished with vertical timber panels	70447	metre length	-	-	\$Price	\$EcoPart
Stone-based decorative wall protection	70456	un.	-	-	\$Price	\$EcoPart
Remote control kit for RGB colours	70457	un.	-	-	\$Price	\$EcoPart

TECHNICAL FEATURES

Code	Type	Dimensions (cm)	Heating (kW)	Control unit
70470	Miramonte sauna	200 x 150 x 210	7 kW 230/400V 3~	Touchscreen / Exterior
70471	Miramonte sauna	200 x 200 x 210	7 kW 230/400V 3~	Touchscreen / Exterior
70439	Miramonte sauna	250 x 200 x 210	9 kW 230/400V 3~	Touchscreen / Exterior
70440	Miramonte sauna	250 x 250 x 210	9 kW 230/400V 3~	Touchscreen / Exterior
70441	Miramonte sauna	300 x 250 x 210	10.8 kW 230/400V 3~	Touchscreen / Exterior
70442	Miramonte sauna	300 x 300 x 210	13.5 kW 230/400V 3~	Touchscreen / Exterior

Classic Select sauna



The Classic sauna can be made to order in the following woods: white pine, thermo Aspen, Canadian spruce and red cedar.

Optional: glass panel follow-on from door.

DESCRIPTION

The Classic sauna is designed with vertical panels and spruce wood flooring. It has a timber-framed glass door, two seats with a backrest against the wall and an abachi headrest. Includes: Wooden accessories kit, ergonomic seating, rounded backrest, heater with premium protection.

Dimensions (mm)	Code	Standard Pack	Standard weight in kg	Standard volume in m ³	Ex. VAT Price	Eco-part
Saunas						
150 x 150 x 210	70431	-	-	-	\$Price	\$EcoPart
200 x 150 x 210	70432	-	-	-	\$Price	\$EcoPart
200 x 200 x 210	70433	-	-	-	\$Price	\$EcoPart
250 x 200 x 210	70455	-	-	-	\$Price	\$EcoPart
250 x 250 x 210	70434	-	-	-	\$Price	\$EcoPart
300 x 250 x 210	70436	-	-	-	\$Price	\$EcoPart
300 x 300 x 210	70437	-	-	-	\$Price	\$EcoPart
400 x 300 x 210	70438	-	-	-	\$Price	\$EcoPart
Accessories						
Stainless steel accessories set	70443	un.	-	-	\$Price	\$EcoPart
Set of decorative salt elements	70444	un.	-	-	\$Price	\$EcoPart
Remote control kit for RGB LED colours	70445	un.	-	-	\$Price	\$EcoPart
Touchscreen control unit for sauna heater	70446	un.	-	-	\$Price	\$EcoPart
Outside wall finished with vertical timber panels	70447	metre length	-	-	\$Price	\$EcoPart
Roof extension	70448	m ²	-	-	\$Price	\$EcoPart
Tinted/transparent glass window	70449	m ²	-	-	\$Price	\$EcoPart
Concealed heater for sauna up to 300 x 250 cm	70450	un.	-	-	\$Price	\$EcoPart
Concealed heater for sauna more than 300 x 250 cm	70451	un.	-	-	\$Price	\$EcoPart
Extra wall for concealed heater	70452	metre length	-	-	\$Price	\$EcoPart
Aroma dosing system	70453	un.	-	-	\$Price	\$EcoPart

TECHNICAL FEATURES

Code	Type	Dimensions (cm)	Heating (kW)	Control unit
70431	Classic sauna	150 x 150 x 210	4.5kW 230/400 3~	Exterior
70432	Classic sauna	200 x 150 x 210	6kW 230/400 3~	Exterior
70433	Classic sauna	200 x 200 x 210	6kW 230/400 3~	Exterior
70455	Classic sauna	250 x 200 x 210	8kW 230/400 3~	Exterior
70434	Classic sauna	250 x 250 x 210	9kW 230/400 3~	Exterior
70436	Classic sauna	300 x 250 x 210	10.5kW 230/400 3~	Exterior
70437	Classic sauna	300 x 300 x 210	13.5kW 230/400 3~	Exterior
70438	Classic sauna	400 x 300 x 210	16.5kW 230/400 3~	Exterior

SAUNAS

St. Moritz sauna



The St. Moritz sauna can be made to order in the following woods:

- Standard wood: Hemlock Playwood
- Bench wood: Abichi

DESCRIPTION


- Hemlock playwood panels 14 mm.
- Console benches and backrest of Abichi 21 mm.
- Secured transparent glass 8 mm.
- Wall mounted Harvia sauna heater.
- Outdoor touch control panel.
- Led light Warm White 3000 K.

Dimensions (mm)	Code	Standard Pack	Standard weight in kg	Standard volume in m ³	Ex. VAT Price	Eco-part
Saunas						
180 x 180 x 210	72908	-	-	-	\$Price	\$EcoPart
220 x 220 x 210	72909	-	-	-	\$Price	\$EcoPart
260 x 220 x 210	72910	-	-	-	\$Price	\$EcoPart
300 x 250 x 210	72911	-	-	-	\$Price	\$EcoPart
Accessories						
Stainless steel accessories set	70443	un.	-	-	\$Price	\$EcoPart
RGB Led lighting kit with remote control	70445	un.	-	-	\$Price	\$EcoPart
Salt decorative elements set	70444	lin.m	-	-	\$Price	\$EcoPart
Hidden heater	70450	un.	-	-	\$Price	\$EcoPart
Additional Wall for hidden heater	70452	lin.m	-	-	\$Price	\$EcoPart

TECHNICAL FEATURES

Code	Dimensions (cm)	Light	Control Unit	Heater
72908	180 x 180 x 210	Led White / RGB	Touchscreen Exterior	6 kW 230 / 400 3~
72909	220 x 220 x 210	Led White / RGB	Touchscreen Exterior	8 kW 230 / 400 3~
72910	260 x 220 x 210	Led White / RGB	Touchscreen Exterior	9 kW 230 / 400 3~
72911	300 x 250 x 210	Led White / RGB	Touchscreen Exterior	10.5 kW 230 / 400 3~

Innsbruck sauna



The Innsbruck sauna can be made to order in the following woods:

- Standard wood: Hemlock Playwood
- Bench wood: Abichi

DESCRIPTION

- Hemlock playwood panels 14 mm.
- Ergonomic benches and backrest of Abichi 21 mm.
- Secured transparent glass 8 mm.
- Wall mounted Harvia sauna heater.
- Outdoor touch control panel.
- Led light Warm White 3000 K.
- Ceiling led light with optional chromotherapy.


Dimensions (mm)	Code	Standard Pack	Standard weight in kg	Standard volume in m³	Ex. VAT Price	Eco-part
Saunas						
135 x 135 x 210	72901	-	-	-	\$Price	\$EcoPart
180 x 180 x 210	72902	-	-	-	\$Price	\$EcoPart
220 x 220 x 210	72903	-	-	-	\$Price	\$EcoPart
260 x 220 x 210	72904	-	-	-	\$Price	\$EcoPart
300 x 250 x 210	72905	-	-	-	\$Price	\$EcoPart
Accessories						
Stainless steel accessories set	70443	un.	-	-	\$Price	\$EcoPart
RGB Led lighting kit with remote control	70445	un.	-	-	\$Price	\$EcoPart
Outside Wall finished with vertical playwood panels	To consult	lin.m	-	-	\$Price	\$EcoPart
Salt decorative elements set	To consult	un.	-	-	\$Price	\$EcoPart
Hidden heater	To consult	un.	-	-	\$Price	\$EcoPart
Additional Wall for hidden heater	To consult	lin.m	-	-		

TECHNICAL FEATURES

Code	Dimensions (cm)	Light	Control Unit	Heater
72901	135 x 135 x 210	Led White / RGB	Touchscreen Exterior	6 kW 230 / 400 3~
72902	180 x 180 x 210	Led White / RGB	Touchscreen Exterior	6 kW 230 / 400 3~
72903	220 x 220 x 210	Led White / RGB	Touchscreen Exterior	8 kW 230 / 400 3~
72904	260 x 220 x 210	Led White / RGB	Touchscreen Exterior	9 kW 230 / 400 3~
72905	300 x 250 x 210	Led White / RGB	Touchscreen Exterior	10.5 kW 230 / 400 3~

SAUNAS

Bella sauna



The Bella sauna can be made to order in the following woods:

- Standard wood: Hemlock Playwood
- Bench wood: Thermo Aspen

DESCRIPTION


- Hemlock playwood panels 14 mm.
- Curved decorative elements of Thermo Aspen 21 mm.
- Benches of thermos Aspen 21 mm.
- Secured transparent glass 8 mm.
- Harvia design sauna heater.
- Outdoor touch control panel.
- Aromatherapy/Salt Metal Bowl.
- Led light warm white 3000 K.
- Option for glass ceiling.

Dimensions (mm)	Code	Standard Pack	Standard weight in kg	Standard volume in m ³	Ex. VAT Price	Eco-part
Saunas						
180 x 180 x 210	72916	-	-	-	\$Price	\$EcoPart
230 x 180 x 210	72917	-	-	-	\$Price	\$EcoPart
230 x 230 x 210	72918	-	-	-	\$Price	\$EcoPart
280 x 230 x 210	72919	-	-	-	\$Price	\$EcoPart
Accessories						
Stainless steel accessories set	70443	un.	-	-	\$Price	\$EcoPart
RGB Led lighting kit with remote control	70445	un.	-	-	\$Price	\$EcoPart
Outside wall finished with vertical playwood panels	To consult	lin.m	-	-	\$Price	\$EcoPart
Glass roof panel	To consult	sq.m	-	-	\$Price	\$EcoPart
Heater safety railing	To consult	un.	-	-	\$Price	\$EcoPart

TECHNICAL FEATURES

Code	Dimensions (cm)	Light	Control Unit	Heater
72916	180 x 180 x 210	Led White / RGB	Touchscreen Exterior	6.9 kW 230 / 400 3~
72917	230 x 180 x 210	Led White / RGB	Touchscreen Exterior	6.9 kW 230 / 400 3~
72918	230 x 230 x 210	Led White / RGB	Touchscreen Exterior	10.5 kW 230 / 400 3~
72919	280 x 230 x 210	Led White / RGB	Touchscreen Exterior	10.5 kW 230 / 400 3~

Lobos sauna



DESCRIPTION

- Hemlock playwood panels 14 mm.
- Benches of Abachi 21 mm.
- Secured transparent glass 8 mm.
- Exclusive Harvia sauna heater.
- Outdoor touch control panel.
- Led light Warm White 3000 K.

The Lobos sauna can be made to order in the following woods:

- Standard wood: Hemlock Playwood
- Bench wood: Abichi

Dimensions (mm)	Code	Standard Pack	Standard weight in kg	Standard volume in m ³	Ex. VAT Price	Eco-part
Saunas						
134 x 254 x 210	72913	-	-	-	\$Price	\$EcoPart
194 x 195 x 210	72914	-	-	-	\$Price	\$EcoPart
254 x 254 x 210	72915	-	-	-	\$Price	\$EcoPart
Accessories						
Stainless steel accessories set	70443	un.	-	-	\$Price	\$EcoPart
Salt decorative elements set	70444	un.	-	-	\$Price	\$EcoPart
Remote control kit for RGB LED colours	70445	un.	-	-	\$Price	\$EcoPart
Outside wall finished with vertical timber panels	70447	lin.m	-	-	\$Price	\$EcoPart
Roof extension	70448	sq.m	-	-	\$Price	\$EcoPart
Tintes/transparent glass window	70449	sq.m	-	-	\$Price	\$EcoPart


TECHNICAL FEATURES

Code	Dimensions (cm)	Light	Control Unit	Heater
72913	134 x 254 x 210	Led White / RGB	Touchscreen Exterior	6 kW 230 / 400 3~
72914	194 x 195 x 210	Led White / RGB	Touchscreen Exterior	8 kW 230 / 400 3~
72915	254 x 254 x 210	Led White / RGB	Touchscreen Exterior	9 kW 230 / 400 3~

Sauna accessories



70443



70444



70446




70447


 70450
70451


70453



70456



70457



2nd full glass side


 Heater safety
railing

TECHNICAL FEATURES

Code	Accessory type	Measure	CLASSIC	MIRAMONTE	INNSBRUCK	ST.MORITZ	LOBOS	BELLA
70443	Stainless steel sauna accessories set	un.	optional	optional	optional	optional	optional	optional
70444	Salt decorative elements set	un.	optional	optional	optional	optional	optional	N/A
70445	RGB Led lighting kit with remote control	un.	optional	optional	optional	optional	optional	optional
70446	Touchscreen control unit for sauna heater	un.	optional	Standard	Standard	Standard	Standard	Standard
70447	Outside wall finished with vertical timber panels	lin.m.	optional	optional	optional	optional	optional	optional
70448	Roof extension	sq.m.	optional	optional	optional	optional	optional	optional
70449	Tintes / transparent glass window	sq.m.	optional	optional	optional	optional	optional	optional
70450	Concealed heater for sauna up to 300 x 250 cm	un.	optional	optional	optional	optional	optional	N/A
70451	Concealed heater for sauna more than 300 x 250 cm	un.	optional	optional	optional	optional	optional	N/A
70452	Additional wall for hidden heater	lin.m.	optional	optional	optional	optional	optional	N/A
70453	Aroma dosing system	un.	optional	optional	optional	optional	optional	optional
70456	Decorative wall protection made of stones	un.	optional	optional	optional	optional	optional	N/A
70457	RGB Chromo therapy kit with remote control	un.	optional	optional	optional	optional	optional	N/A
Request	2nd full glass side	sq.m.	N/A	N/A	N/A	N/A	optional	optional
Request	Glass roof panel	sq.m.	optional	optional	optional	optional	optional	optional
Request	Heater safety railing	un.	Standard	optional	Standard	Standard	Standard	optional

Standard: Included with sauna code.

Optional: Additional code.

N/A: Not available.

SAUNAS ACCESSORIES

Harvia Helix steam generators


DESCRIPTION

Includes control panel and temperature sensor.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³	Ex. VAT Price	Eco-part
Steam generator Harvia Helix						
4.5 kW	HGX45XW	1	-	-	\$Price	\$EcoPart
6 kW	HGX60XW	1	-	-	\$Price	\$EcoPart
9 kW	HGX90XW	1	-	-	\$Price	\$EcoPart
11 kW	HGX110XW	1	-	-	\$Price	\$EcoPart
15 kW	HGX150XW	1	-	-	\$Price	\$EcoPart



Harvia Helix Pro steam generators

DESCRIPTION

Includes control panel, temperature sensor, automatic discharge valve and fragrance pump.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³	Ex. VAT Price	Eco-part
Steam generator Harvia Helix Pro						
22 kW	HGP220XW	1	-	-	\$Price	\$EcoPart
30 kW	HGP300XW	1	-	-	\$Price	\$EcoPart
Auto Clean Valve Harvia	60328	1	-	-	\$Price	\$EcoPart

Steam Pack



DESCRIPTION

The new generation of Steam room equipment. Single unit with metal structure. Compact design. Easy and simple installation.

Description	Heating (kW)
Steam pack for room 2-5 m ³	4.5 kW 230/400V 3~
Steam pack for room 3-8 m ³	5.7 kW 230/400V 3~
Steam pack for room 6-12 m ³	9 kW 230/400V 3~
Steam pack for room 10-15 m ³	10.8 kW 230/400V 3~
Steam pack for room 12-20 m ³	15 kW 230/400V 3~
Steam pack for room 20-29 m ³	22 kW 230/400V 3~
Steam pack for room 20-29 m ³	30 kW 230/400V 3~



Harvia Vega sauna heater

DESCRIPTION

Stones included.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³	Ex. VAT Price	Eco-part
Harvia Vega sauna heater						
4.5 kW	61387	1	-	-	\$Price	\$EcoPart
4.5 kW E	61388	1	-	-	\$Price	\$EcoPart
6 kW	61389	1	-	-	\$Price	\$EcoPart
6 kW E	61390	1	-	-	\$Price	\$EcoPart
8 kW	60323	1	-	-	\$Price	\$EcoPart
8 kW E	60325	1	-	-	\$Price	\$EcoPart
9 kW	60324	1	-	-	\$Price	\$EcoPart
9 kW E	60326	1	-	-	\$Price	\$EcoPart



Xenio Control

DESCRIPTION

Harvia Xenio is a control unit with a touch control panel. Xenio provides a modern and subtly stylish user interface for controlling the heart of the sauna, the heater. The stylishly small yet clear touch control panel is easy to install where you want it: in the sauna, the shower room, the dressing room, or even the living room. The control panel enables you to see with just one look when your sauna is at the right temperature for you.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³	Ex. VAT Price	Eco-part
XENIO 110 max. for 11 kW electric heaters	74733	1	-	-	\$Price	\$EcoPart
XENIO 170 for up to 17 kW heaters	72500	1	-	-	\$Price	\$EcoPart